MUSCLE & NERVE

SUBJECT INDEX TO VOLUME 14

This index gives the first author (in parentheses) and the first page of the article, abstract, or letter in which the indexed subject occurs. The reader is referred to the author index for the full title and the following code: A = abstract, L = letter.

A

Aδ fibers (Kakigi) 1193 Abductor digiti minimi muscle (Arasaki) 647 Abstracts of poster and platform

presentations: 38th annual meeting: American Association of Electrodiagnostic Medicine Vancouver, Canada, September 25-28, 1991 (Chaudhry) 873

Acetylcholine contractures (Hofmann) 748 Acetylcholine receptor (Wetzel) 1003 Acetylcholinesterase inhibition (Besser)

Acid maltase deficieny 887 Acid maltase deficiency (Usuki) 245 Acoustic neuroma 877-A Actin filament (Miyatake) 113

Action potential (Dumitru) 605 Action potentials (Franke) 762 Activated cell sorting (Krieger) 14 Acute areflexic paralysis 920-A

Acute areflexic paralysis 920-A Acute postganglionic dysautonomia (Sohn) 474-L Acylcarnitine (Arenas) 598

Acylcarittine (Arenas) 598 Adrenomyeloneuropathy 887-A Adenosine triphosphate resynthesis 916-A

Advanced myopathy 916-A Afferent fiber grouping (Hallin) 157 Afferent fibers (Fisher) 120

Aging (Sipilä) 527 ALS

(Behnia) 1236 (Dantes) 416 (Kawai) 342

Amyloidotic polyneuropathy (Sales-Luís) 377-L

Amyotrophic lateral sclerosis 875-A, 876-A

(Iijima) 1110 (Lamb) 1021 (Pestronk) 927 (Shefner) 1242 (Sirdofsky) 977

Anconeus muscle (Maselli) 1189 Angioid streaks of the retina (Lawrence)

1036-L Anomalies (Phillips) 1213 Anomalous sensory innervation (Valls-Sole) 1099

Anterior lateral compartment (Brown) 237

Anticholinesterase medications (Bosch) 1036-L

Anticholinesterases 914-A

Antidromically conducted potentials 900-A

Antiglycolipid antibodies (Pestronk) 927 Argon laser stimulation (Arendt-Nielsen)

Arterial occlusion (Lachance) 633 Arterial pressure (Benarroch) 1165 Arthrogrypotic infant 897-A Artificial intelligence 921-A Atheroscie, (Lachance) 633

Atherosclerosis (Lachance) 633 Athletes (Arenas) 598 Atrophy (Holy) 70

Autograft (Anderson) 268 Autoimmune (Lamb) 1021 Autonomic function (Ingall) 1080 Autonomic nervous system (Solders)

1074 Autosomal recessive muscular dystrophy (McGuire) 1209

Axon loss (Brown) 237 Axonal degeneration (Kennett) 553, 960

Axonal neuropathy (Lachance) 633 Axonal (Van Der Meché) 997 Axons (Gordon) 640

В

β-hydroxyacyl-CoA dehydrogenase (Verity) 435 β-oxidation (Verity) 435 Becker muscular dystrophy (Kaido) 1067 (Wessels) 1 Bereitschaftspotential 895-A Biopsy (Lexell) 826 Bipolar recording (Winkler) 133 Blink reflex (Hopf) 326

Blink reflex (Hopt) 326 Borrelia burgdorferi infection (Oey) 375-L

Botulineum toxin (Lange) 672

Botulinum toxin 915-A Brachial plexopathy 898-A Bupivacaine (Orimo) 515

C

C fiber characteristics (Hallin) 157 Calcaneal nerve (Dumitru) 665 Calcium (Nakamura) 701 Calcium sensitivity

(Holy) 70 (Ruff) 1219

Calcium-activated neutral protease (Nakamura) 701

Calcium-tension relationships (Ruff) 838 Calf enlargement 889-A Calpain (Nakamura) 701

Calpastatin (Nakamura) 701 Carbohydrate storage disease (Cafferty) 102

Cardiovascular reflexes (Ingall) 1080 Carnitine

(Arenas) 598 (Verity) 435

Carnitine palmityl transfarase (CPT) deficiency (Scott) 676-L

Carotid endarterectomy 877-A Carpal tunnel syndrome 901-A, 902-A, 903-A, 904-A, 905-A

905-A, 905-A, 905-A, (Arendt-Nielsen) 508 (Chang) 1173 (Martinez) 183-L (Uncini) 184-L (Valls-Sole) 1099 Cat (Eerbeek) 422

Catchlike property (Binder-Macleod) 850

Cell culture (Krieger) 14
Cerebral hemorrhage (Palmer) 124
Cerebral palsy 896-A
Cervical spondylosis (Lamb) 1021
Cervical spondylotic myelopathy 889-A
Charcot — Marie – Tooth disease
(Ingall) 1080
(Kakigi) 441

Cholinergic crisis (Bosch) 1036-L Chronic stimulation (Eerbeek) 422 Cisplatin neuropathy 913-A Classification (Udd) 1050

CO₂ laser (Kakigi) 1193 CO_o laser stimulation (Kakigi) 441 Colchicine myopathy-neuropathy 919-A Cold agglutinin disease (Thomas) 331 Cold injury (Kennett) 553 Cold injury, non-freezing injury (Kennett) 960 Collision method (Arasaki) 647 (Iiiima) 1110 Collision technique (Valls-Sole) 1099 Complement C3 (Orimo) 515 Compound motor action potentials (Swenson) 1033-L Compound motor order potentials (Donofrio) 1034-L Compound muscle action potential 884-A Computer EMG (Galea) 1123 Concentric needle (Chan) 1028 Concentric needle electrode (Nandedkar) Conditioning stimulation (Fisher) 120 Conduction block 884-A (Abu-Shakra) 858 (Brown) 237 (Cornblath) 185-L, 869 (Metral) 185-L (Naganuma) 953 Conduction studies (Kennett) 960 Conduction velocities 882-A Conduction velocity (Kakigi) 1193 (Shefner) 534 Congenital myopathies 918-A Congenital myopathy (Linssen) 829 Contraction (Petajan) 489 Contraction measurements (Költgen) 775 Contraction velocity (Ruff) 1219 Cortical inhibition 894-A Corticosteroids (Danon) 1131 Cramps 917-A Craniectomy (Harper) 213 Cricopharyngeal muscle (Verma) 470 Crow-Fukase syndrome (Kakigi) 441 Cubital tunnel syndrome (Campbell) 733 (Miller) 97 Cutaneous silent period 901-A Cytomegalovirus polyradiculopathy (Beydoun) 575-L

Dantrolene (Bertorini) 503 Data interpretation, statistical (Lexell) Decompression surgery (Oh) 398 Dementia 874-A Demyelinating neuropathies (Swenson) 1033-L Demyelinating polyradiculoneuropathy Demyelinating neuropathy 893-A, 908-A chronic multifocal (Naganuma) 953 Demyelination (Bromberg) 968 (Oomes) 1013 (Shefner) 534 Denervation (Anderson) 268

(Gunreben) 654 (Hofmann) 748 (Mihelin) 739 (Wetzel) 1003 Dermatomyositis (Fujino) 716 Dexamethasone (Usuki) 245 Diabetes (Abu-Sh kra) 858 Diabetes mellitus 890-A (Kennedy) 1231 (Robinson) 1084 Diabetic neuropathy 890-A, 891-A, 911-A Diabetic radiculopathy 889-A Diaphragm (Jammes) 27 Diaphragm muscle (Wetzel) 1003 Diaphragmatic fatigue (Baer) 1034-L (Jammes) 1035-L Digital nerve (Chang) 1173 Dip analysis 920-A Disease affecting the hand 921-A Dissociated muscle fibers (Költgen) Distal myopathy (Udd) 1050 Dorsal nerve of penis (Clawson) 845 Dorsal ramus myotome 887-A Drug abuse (Vishnubhakat) 22 Duchenne muscular dystrophy (Bertorini) 503 (Kawai) 342 (McCully) 1091 (McGuire) 1209 (Miyatake) 113 (Partridge) 197 (Smith) 462 (Wakeford) 42 (Weller) 771 (Wessels) 1 Dysarthria (Palmer) 124 Dysautonomia syndrome 908-A Dysphagia (Verma) 470 Dystrophic mice (Greaves) 543 Dystrophin 918-A (Bornemann) 1177 (Carpenter) 577-L (Huard) 178 (Kaido) 1067 (McGuire) 1209 (Miyatake) 113 (Wakayama) 576-L Dystrophin localization (Wessels) 1

Eccrine sweat gland 912-A

EDL (Anderson) 268 Electric current (Baer) 1034-L (Jammes) 1035-L Electrical injury (Sirdofsky) 977 Electrical stimulation (Binder-Macleod) 3-Electrode voltage clamp (Franke) 762 Electrodiagnosis (Behnia) 1236 (Bromberg) 968 (Dumitru) 665, 981 (Robinson) 310 (Rodriquez) 429 Electromyogram (Leis) 1202 Electromyographic crosstalk 894-A

Electromyography 881-A (Barry) 937 (Chan) 1028 (Christiansen) 786-L (Dumitru) 605 (Franke) 762 (Gunreben) 654 (Haig) 521 (Lachance) 633 (London) 457 (Palmer) 124 (So) 787-L, 1159 (Sucher) 785-L (Zwarts) 756 Electromyographic assessment of pelvic floor 909-A Electromyography equipment (Barry) Electromyography, principles (Daube) Electromyography risk management 900-A Electronics (Barry) 937 Electron-microscopic cytochemical study (Carpenter) 577-L (Wakayama) 576-L Electrophysiologic abnormalities (Vishnubhakat) 22 Electrophysiological methods (Martinez) 183-L (Uncini) 184-L Electrophysiology (Abu-Shakra) 858 (Cafferty) 102 (Lagueny) 51 (Oomes) 1013 EMG (Behnia) 1236 (Robinson) 310 (Stålberg) 293 Van Der Meché) 997 EMG electrodes 901-A End-plate (Maselli) 1182 Enterovirus (So) 1159 Entrapment neuropathy (Oh) 407 Eosinophilia myalgia syndrome 886-A Erectile dysfunction 909-A Erythrocyte of myotonic dystrophy

Exercise (Arenas) 598 (Sipilä) 527 Exercise-induced muscle injury (McCully) 1091 Extensor digitorum brevis (Brown) 237 External recording (Eerbeek) 422 Extracellular matrix (Hoh) 398

Evoked potentials (Solders) 1074

(Kuwabara) 57

'F' motor units 875-A F wave (Chang) 990 (London) 457 F-wave parameters in neuropathies 912-A F waves (Fisher) 120 Facial neuropathy 877-A Fasciculations 917-A Factor analysis 910-A

Familial amyloidotic polyneuropathy (Sales-Luís) 377-L Far-field potentials (Dumitru) 981 Fascicle (Pernuš) 304 Fatigue 885-A, 920-A (Binder-Macleod) 850 (Robinson) 563 Femoral neuropathy 907-A Fiber density (Torbergsen) 35 Fiber type analysis (Kaido) 1067 Fiber types (Hoh) 316 (Pernuš) 304 Fibrillation potentials (Robinson) 310 Flexor carpi, sparing of (Campbell) 678-L (McCoy) 677-L Flexor carpi ulnaris (Campbell) 733 Fluorescence (Krieger) 14 Focal movement 874-A Focal myositis 889-A Focal neuropathies 881-A

Force measurement (Nandedkar) 8

Forced expiration (Benarroch) 1165

Glucocorticoids (Weller) 771 Glycogen storage diseases 887-A Glycolysis (Kuwabara) 57 GM1 ganglioside (Lamb) 1021 (Pestronk) 927 Graft (Partridge) 197 Guillain-Barré (Oomes) 1013 (Van Der Meché) 997 Guillain-Barré syndrome 892-A, 893-A (Kleyweg) 1103 (Freston) 378-L (Gutmann) 1043

Hamster (Nakamura) 701 Hand innervation 881-A Handcuff neuropathy 905-A Haplotyping, RFLP (Nokelainen) 451 Heart rate (Benarroch) 1165 Heat shock proteins (Martin) 219 Height, effect on nerve conduction interpretations (Letz) 479-L (Rivner) 480-L Hemifacial spasm (Harper) 213 Hemolytic anemia (Thomas) 331 Hereditary motor and sensory neuropathy (Ingall) 1080 Hereditary motor neuropathy 891-A Hetachromatic leukodystrophy, adult (Baquis) 784-L Hindlimb suspension (Anzil) 358 Histochemical fiber type (Ruff) 1219 Histochemistry (Pernuš) 304 Histology, morphometry (Mackinnon) 1116 HIV neuropathy (Beydoun) 575-L HMSN I (Solders) 1074 Hodgkins lymphoma 913-A H-reflex (Leis) 1202

Human development (Wessels) 1 Human immunodeficiency virus 885-A Human nerve response (Winkler) 1141-L Human nerves responses (Daube) 1140-L Human quadriceps (Binder-Macleod) Humoral autoimmunity (Oomes) 1013 Hybridization (Huard) 178 Hydrocephalus 896-A Hyperekplexia 894-A Hypertriglyceridemia, in CPT (Scott) 676-L Hypertrophic mononeuropathy (Phillips) Hypertrophic neuropathy 906-A Hypertrophy (Kennedy) 166 Hypophosphatemia 920-A

Iliocostalis (Haig) 521

Immobilization (Robinson) 563 Immunoblotting (Greaves) 543 Immunocytochemistry (Bornemann) 1177 (Hoh) 398 Immunoelectron microscopy (Kawai) 342 Immunohistochemistry (Kawai) 342 (Orimo) 515 (Wessels) 1 Immunosuppression (Weller) 771 Impotence (Clawson) 845 Inclusion body myositis (Verma) 470 Inflammatory cells (Orimo) 515 Inflammatory polyneuropathies 892-A Innervation (Petajan) 489 (Phillips) 1213 INO (Hopf) 326 Insulin receptor (Hofmann) 748 Interference pattern (Nandedkar) 8, 108 Interosseous neuropathy 878-A Intracellular recordings (Költgen) 775 Intracerebral hematoma 894-A Intrafamilial variation (Udd) 1050 Intraneural injection (Oomes) 1013 Inward rectification (Gordon) 640 Ischemic conduction failure 912-A Ischemic neuropathy (Lachance) 633 Isolated diffuse abnormal insertional activity 919-A Isolated population (Nokelainen) 451

Jaw-closing muscle (Hoh) 316, 398 (Chaudhry) 1227 (Lange) 672

Lambert-Eaton myasthenic syndrome 913-A, 915-A (Chaudhry) 1227 (Squier) 625 (Trontelj) 226

Lambert-Eaton syndrome 914-A (Breen) 863 Laryngeal electromyography 883-A Late response (Gerr) 1059 Lightning (Sirdofsky) 977 Limb-girdle (Udd) 1050 Limb-girdle dystrophy (McGuire) 1209 Linkage disequilibrium (Nokelainen) 451 Lipid myopathy (Verity) 435 Lithium 917-A Lithium intoxication (Moore) 578-L (Vanhooren) 578-L Long-distance runners (Arenas) 598 Longissimus (Haig) 521 Lower-extremity sensory nerve techniques 899-A Lower limb axonal neuropathy 911-A Lumbosacral spinal stenosis 890-A Lymphocyte subsets (Ijichi) 574-L

Macro EMG (Jabre) 820 (Torbergsen) 35 Magnetic brain stimulation (Solders) Magnetic resonance imaging (Fujino) 716 (Naganuma) 953 Magnetic resonance spectroscopy (McCully) 1091 Magnetic stimulation (Zhu) 721 Malignant schwannoma (Yasuda) 812 Martin-Gruber anastomosis (Valls-Sole) 1099 Masseter reflex (Hopf) 326 mdx (Anderson) 268 mdx DMD model (Wakeford) 42 mdx dystrophy (Weller) 771 mdx mouse (Huard) 178 Measuring muscle fibers (Lexell) 476-L Medial brachial fascial compartment syndrome 899-A Medial longitudinal fasciculus (Hopf) Median nerve 881-A (Chang) 1173 (Valls-Sole) 1099 Median nerve organization (Hallin) Median neuropathy (Shields) 370 Meralgia paresthetica (Lagueny) 51 Methylprednisolone therapy (Preston) Microscopy (Lexell) 826 Minicore-multicore myopathy (Penegyres) 411 Mitochondria loss (Anzil) 358 Mitochondrial myopathy (Pauzner) 947 (Torbergsen) 35 Modality segregation (Hallin) 157 Monitoring (Stålberg) 293 Mononeuropathy (Phillips) 335 Monopolar EMG electrodes (Nandedkar) Monopolar needle (Chan) 1028 Motoneuron (Krieger) 14 Motoneuron excitability 876-A

Motor and sensory neuropathy, hereditary (Oh) 85-L (Chad) 86-L Motor conduction velocity (Arasaki) 647 (Iijima) 1110 Motor end-plates (Trontelj) 226 Motor evoked potential (Chang) 990 Motor neuron (Pestronk) 927 Motor neuron disease 886-A (Sirdofsky) 977 (So) 1159 Motor neuron pool excitability (Fisher) 120 Motor neuropathies (Pestronk) 927 Motor unit (Robinson) 563 (Shahani) 64 (Torbergsen) 35 Motor unit count 876-A Motor unit estimates (Dantes) 416 (Galea) 1123 Motor unit numbers (McComas) 585 Motor unit "marking" (Jabre) 820 Motor unit potential (Chan) 1028 Motor unit potentials (Jabre) 820 (McComas) 585 (Nandedkar) 108 Motor unit recruitment (Petajan) 489 Movement-related potentials 895-A MRI (Fujino) 716 Multifidus (Haig) 521 Multifocal conduction block (Oey) 375-L Multiple sclerosis (Gutmann) 1043 (Naganuma) 953 Murine muscles (Hofmann) 748 Muscle afferent (Zhu) 721 Muscle biopsy clamp (Siegel) 85-L Muscle cell culture (Huard) 178 Muscle contraction (Binder-Macleod) Muscle cramps (Puniani) 280 Muscle disorders (Gunreben) 654 Muscle fatigue (Jammes) 27 Muscle fiber conduction velocity (Linssen) 829 Muscle fiber propagation velocity (Mihelin) 739 Muscle fiber types (Squier) 625 Muscle force 884-A Muscle glycogenosis 886-A Muscle histochemistry (Kaido) 1067 Muscle length, optimum (Eerbeek) 422 Muscle metabolism (McCully) 1091 Muscle propagation velocity 920-A Muscle-relaxant drug therapy 916-A Muscle regeneration (Anderson) 268 (Bornemann) 1177 (Hoh) 316, 398 Muscle spasm 919-A Muscle spindle (Leis) 1202 Muscle strength (Kleyweg) 1103 (Rodriquez) 429 (Smith) 462 Muscle tremor (Zwarts) 756 Muscle twitch (Eerbeek) 422

Muscular dystrophy 918-A (Huard) 178 (Kawai) 342 (Kennedy) 166 (McCully) 1091 (Mihelin) 739 (Nakamura) 701 (Pauzner) 947 (Udd) 1050 Muscular pain fasciculation syndrome 911-A Musculocutaneous neuropathy 879-A M-wave (Fenton) 79 Myalgias (Gilchrist) 233 Myasthenia gravis 915-A (Breen) 863 (Chaudhry) 1227 (Jablecki) 391 (Maselli) 1189 (Tronteli) 226 Myasthenia gravis acetylcholinesterase inhibition (Gutmann) 86-L Myasthenic syndrome (Breen) 863 Myelinated fibers (Yarnitsky) 379-L Myeloneuropathy (Vishnubhakat) 22 Myelopathy (Pullman) 709 Myoblast (Partridge) 197 Myoclonus (Palmer) 124 Myofiber degeneration (Wakeford) 42 Myofibers (Ward) 259 Myofibrillar disruption (Anzil) 358 Myofilament (Holy) 70 Myogenesis (Ward) 259 Myogenic cell line (Usuki) 245 Myoglobin (Kawai) 342 Myokomia (Gutmann) 1043 Myonecrosis (Kaido) 1067 (Orimo) 515 Myopathy (Danon) 1131 (Gilchrist) 233 (Martin) 219 (Partridge) 197 (Penegyres) 411 (Stålberg) 293 Myosin (Danon) 1131 (Kennedy) 166 Myotonia (Puniani) 280 Myotonic dystrophy 909-A (Fenton) 79 (Kawai) 342 (Nokelainen) 451 Myotonic runs (Franke) 762 Myotubes (Baker) 348

8.0

NA pump (Kuwabara) 57
Natural history (Penegyres) 411
Necrosis
(Baker) 348
(Weller) 771
Necrotizing vasculitis
(Cornblath) 185-L
(Metral) 185-L
Needle control 885-A
Needle electrode impedances 917-A
Needle examination (Daube) 685
Neonatal flail limb 898-A

Nerve action potentials (Winkler) 133 Nerve compression syndromes (Campbell) 733 Nerve conduction (Brown) 237 (Robinson) 1084 (Thomas) 331 Nerve conduction interpretations (Rivner) 381-L (van Dijk) 380-L Nerve conduction studies 910-A (Harper) 213 (Kennett) 553 (Shefner) 1242 Nerve conduction study (Oh) 407 (So) 1159 Nerve conduction velocity (Denys) 795 (Gerr) 1059 Nerve fiber (Mackinnon) 1116 Nerve regeneration (Mackinnon) 1116 Nerve repair (Mackinnon) 1116 Nerve stimulation (Jammes) 27 Neural conduction (Chang) 1173 (London) 457 (Solders) 1074 Neural influence (Hoh) 316 Neurofibroma (Yasuda) 812 Neurofibromatosis 886-A Neurofibromatous neuropathy (Palmowski) 478-L Neurogenic claudication (London) 457 Neurography (Winkler) 133 Neurologic examination (Kennedy) 1231 Neuromuscular blockade 916-A Neuromuscular blocking agents (Költgen) 775 Neuromuscular diseases (Rodriquez) 429 Neuromuscular disorders 920-A Neuromuscular irritability (Puniani) 280 Neuromuscular junction (Wetzel) 1003 Neuromuscular transmission (Besser) 1197 (Denys) 795 (Maselli) 1182, 1189 Neuropathy (Abu-Shakra) 858 (Lamb) 1021 (Oh) 152 (Shefner) 534 (Thomas) 331 (Torbergsen) 35 Neuropathy at the wrist 905-A Neuropathy, supermarket (Ortiz-Arduan) 785-L Neurotoxicity (Vishnubhakat) 22 Neurotrophism (Hofmann) 748 NGF receptor (Yasuda) 812 Nitrous oxide (Vishnubhakat) 22 NMR (Kuwabara) 57 Noninvasive monitoring (Benarroch)

0

Obstetrical paralysis 898-A Oculomyopathy (Pauzner) 947

Normal values (Nandedkar) 8

Oculopharyngeal muscular dystrophy (Pauzner) 947 Onset motor latency 884-A Ophthalmoplegia 918-A Ophthalmoplegia (Breen) 863 Organ culture (Wetzel) 1003 Organophosphate (Maselli) 1182 Organophosphates (Besser) 1197 Origin-defective SV40 DNA (Usuki) 245 Orofacial dyskinesia 875-A

P

Pain threshold (Arendt-Nielsen) 508 Pain-evoked potentials (Arendt-Nielsen) Painful stimulation (Kakigi) 1193 Pain-related SEPs (Kakigi) 441 Palmar cutaneous branch (Chang) 1173 Pancuronium (Besser) 1197 Paralysis 877-A Paralysis, periodic 886-A Paralysis, periodic (Ruff) 838 Paraneoplastic syndrome (Oh) 152 Paraspinal muscle electromyography Paraspinal muscles 888-A Parkinsonism 874-A Parvalbumin (Greaves) 543 Patch clamp (Franke) 762 Pathophysiology (Palmer) 124 Peripheral arterial disease 891-A Peripheral nerve (Hallin) 157 (Leis) 1202 Peripheral neuropathies (Kakigi) 441 Peripheral neuropathy 914-A (Kennedy) 1231 (Shields) 370 Peroneal nerve injury 880-A Pes cavus foot deformity (Baquis) 784-L. Phase cancellation (Winkler) 133 Phrenic nerve (Jammes) 27 Phrenic nerve injury 882-A, 883-A Phrenic neuropathy 883-A Physical examination (Gerr) 1059 Plantar nerve (Dumitru) 665 Plasma exchange (Sales-Luís) 377-L POEMS (Kakigi) 441 Poliomyelitis (Rodriquez) 429 (So) 1159 Polyglucosan body (Cafferty) 102 Polymyositis (Fujino) 716 (Robinson) 310 Polyneuropathy 907-A (Bromberg) 968 Polyneuropathy, in lithium intoxication (Moore) 578-L (Vanhooren) 578-L Polyneuropathy in renal failure 909-A Pompe's disease (Verity) 435 Pontine tumors (Gutmann) 1043 Postfixed (Phillips) 1213 Postural adjustment 874-A Potassium channels (Gordon) 640 Preembedding method (Bornemann)

Presynaptic mechanisms of neuromuscular transmission (Trontelj) 226 Primary lateral sclerosis 876-A Prognosis (Van der Meché) 997 Propagation velocity (Pelosi) 253 Protease inhibitor (Nakamura) 701 Protein breakdown (Nakamura) 701 Proximal F wave velocity 902-A Pseudoxanthoma elasticum (Lawrence) 1036-L Ptosis (Breen) 863 Pudendal nerve (Clawson) 845

0

Quadriceps (Sipilä) 527 Quantitative comparison (Chan) 1028 Quantitative EMG (Jabre) 820 (Nandedkar) 8

R

Rabbit (Jammes) 27 Rabbit tibial nerve (Kennett) 553, 960 Radial nerve palsies 878-A Radial neuropathies 879-A Radiation plexopathy (Gutmann) 1043 Radiculopathy 888-A, 889-A, 890-A (Haig) 521 Rattlesnake venom (Gutmann) 1043 Real-time sonography (Gunreben) 654 Regenerating unit (Mackinnon) 1116 Regeneration (Baker) 348 (Gordon) 640 (Shefner) 534 Reinnervation (Stålberg) 293 Remote effects (Lange) 672 Renal failure (Bosch) 1036-L Repetitive nerve stimulation (Jablecki) Resealed fiber segments (Franke) 762 Resting [Ca²⁺]_i (Franke) 762 Retina (Mivatake) 113 Rimmed vacuoles (Verma) 470 Risk evaluation (Nokelainen) 451

2

S-100 protein (Yasuda) 812 Sacroplasmic reticulum (Gilchrist) 233 Satellite cells (Baker) 348 Schwannoma (Yasuda) 812 Schwartz-Jampel syndrome (Pascuzzi) 1143-L (Spaans) 1142-L Sciatic nerve (Gordon) 640 Scoliosis surgery 896-A Segmentation (Phillips) 1213 Sensitivity (Bromberg) 968 Sensory action potential (Pullman) 709 (Shefner) 534 Sensory evoked response amplitude (Pullman) 709 Sensory nerve (Shefner) 1242

(Clawson) 845 Sensory nerve temporal dispersion 902-A Sensory neurophysiology (Pullman) 709 Serum creatine kinase (Bertorini) 503 (Weller) 771 SFEMG (Stälberg) 293 "Shaky Legs" syndrome 873-A Sickle cell anemia (Shields) 370 Sign of tinel (Yarnitsky) 379-L Silent period (Leis) 1202 Single fiber electromyography (Chaudhry) 1227 (Mihelin) 739 (Trontelj) 226 Single fiber EMG (Jablecki) 391 (Jabre) 820 (Lange) 672 Skeletal muscle 916-A (Greaves) 543 (McCully) 1091 (Pernuš) 304 Skeletal muscle cell (Kawai) 342 Skin-graft donor site mononeuropathy 906-A Skinned fiber (Holy) 70 Skinned human skeletal muscle fibers (Ruff) 1219 'Slow channel syndrome" (Lawrence) 1036-L Sodium channel subtypes (Schotland) Sodium pump (Fenton) 79 Soleus 917-A Soleus muscle (Anzil) 358 Somatosensation (Hallin) 157 Somatosensory-evoked potential (Denvs) 795 (Dumitru) 665 (Kaji) 783-L (Kakigi) 441, 1193 (Zhu) 721 (van Dijk) 781-L Spaceflight (Holy) 70 Spasmodic dysphonia 875-A Spastic dysphonia 896-A Spastic paresis 873-A Spasticity (Shahani) 64 Spatial arrangement (Pernus) 304 Spike-triggered averaging 876-A Spinal accessory neuropathy 878-A Spinal artery syndrome 897-A Spinal cord (Sirdofsky) 977 Spinal cord injury (Chang) 990 Spinal cord motor conduction (Chang) Spinal cord neuron (Krieger) 14 Spinal muscular atrophy (Iijima) 1110 Spinal stenosis (London) 457 Sprinters (Arenas) 598 SSEPs (Pelosi) 253 Statistics (Lexell) 826 (Robinson) 1084 Sterilization of EMG needles 885-A Steroid-response (Gilchrist) 233 Stretch reflexes 874-A Strontium sensitivity (Ruff) 1219 Superfast myosin (Hoh) 316, 398

Sensory nerve conduction studies

Prefixed (Phillips) 1213

Premotor potential 899-A, 901-A

Suprascapular neuropathy 898-A Sural nerve (Pelosi) 253 Sural nerve biopsy (Cafferty) 102 (Kakigi) 441 Sural nerve conduction 900-A Sural nerve grafting (Phillips) 335 Surface electromyography (Linssen) 829 Sweat test (Ingall) 1080 Synaptic region (Miyatake) 113

T

Tarsal tunnel (Dumitru) 665 Tarsal tunnel syndrome 879-A Tarsal tunnel syndrome (Oh) 407 Temperature (Denys) 795 Temporal dispersion 884-A (Abu-Shakra) 858 (Donofrio) 1034-L (Swenson) 1033-L Tenotomy (Baker) 348 Tetanus-like syndrome 913-A Thermography (Christiansen) 786-L (So) 787-L (Sucher) 785-L Thick filament (Danon) 1131 Thoracic nerve 877-A Thoracic outlet syndrome 897-A Tibial nerve (Kennett) 553 (Pelosi) 253 Tibial nerve entrapment 880-A Tibial-peroneal innervation 880-A Tissue biopsy (Siegel) 85-L Tocainide (Bertorini) 1248-L (Clague) 1247-L (Puniani) 280 Tomaculous neuropathy (Kakigi) 441 Torticollis 895-A Torticollis (Lange) 672 Transfection (Usuki) 245 Triadic junctions (Bornemann) 1177 Tubular aggregates (Gilchrist) 233 (Martin) 219 Turns and amplitude (Nandedkar) 8 Type I muscle fiber predominance (Linssen) 829

U

Ulnar mononeuropathy 879-A
Ulnar nerve 881-A
(Arasaki) 647
(Iijima) 1110
(Phillips) 335
Ulnar nerve, elbow (Campbell) 733
Ulnar nerve motor latencies 882-A
Ulnar neuropathy 906-A, 907-A
(Campbell) 678-L
(McCoy) 677-L
(Miller) 97
Ultrasound imaging
(Gunreben) 654
(Sipilà) 527
Undernutrition, prenatal (Ward) 259

UNE (Campbell) 678-L Uni- and bipolar surface recordings (Daube) 1140-L (Winkler) 1141-L Unipolar recording (Winkler) 133 Upper motorneuron (Shahani) 64 Useless hand syndrome (Naganuma) 953

V

Validation study (Gerr) 1059
Vasculitic neuropathy (Ijichi) 574-L
Vasculitic neuropathy 908-A
Vasculitic polyneuropathy 912-A
Vasculitic polyneuropathy 912-A
Vasculitis (Oh) 152
Vector short-latency
(Kaji) 783-L
(van Dijk) 781-L
Velocity recovery function (Mihelin) 739
Vercuronium (Danon) 1131
Vibromyography (Zwarts) 756
Vibrotactile threshold (Gerr) 1059
Videofluoroscopy (Palmer) 124
Vocal cord paralysis 882-A, 883-A
Volume conduction
(Dumitru) 605, 981

W

Waldenström's macroglobulinemia 883-A Wallerian degeneration 873-A Water permeability (Kuwabara) 57

MUSCLE & NERVE

AUTHOR INDEX TO VOLUME 14

This index lists, in alphabetical order, the names of authors of all articles, abstracts, and letters. Full citation is provided under the first author only, with reference made from joint authors. Abstracts and letters are distinguished from articles by the following code: A = abstract, L = letter.

A

Abresch RT, see Shankar K Abu-Shakra SR, Cornblath DR, Avila OL, Chaudhry V, Freimer M, Glass ID, Reim JW, Ronnett GV: Conduction block in diabetic neuropathy, 858 Ackmann JJ, Lomas JN, Wertsh, JJ: Effect of disposable and nondisposable needle electrode impedances on motor unit recordings, 917-A Adesina AM, see Verma A Agatiello P, see Gilchrist JM Agre JC, see Black PO see Rodriquez AA Ahmad BK, see Redmond JMT Alanen-Kurki L, see Nokelainen PT Alba HM, see Sable AW Albers JW, see Bromberg MB see Cornblath DR see Donofrio PD AlKawi Z, see Bohlega SA Al-Sulaiman AS, Iyer VG: Does lithium

exhibit antimyotonic properties?, 917-A
Alves MM, see Sales-Luís ML
Amadio S, see Comi G
Ambler M, see Gilchrist JM
Aminoff MJ, see So YT
Anastassiades T, see Semmler RT
Andary MT, Fankhauser MJ, Spiegel N,
Ritson JL, Hulce VD, Yosef M,
Stanton DF: Comparison of sensory

and mixed nerve mid-palm studies in carpal tunnel syndrome, 905-A Anderson JE: Dystrophic changes in mdx muscle regenerating from denervation and devascularization, 268 Andersson T. see Solders G

Andersson T, see Solders G Angelo J, see Thomas TD Anzil AP, Sancesario G, Massa R, Bernardi G: Myofibrillar disruption in the rabbit soleus muscle after one-week hindlimb suspension, 358 Appley A, see Motgi GV

Arahata K, see Kaido M see Orimo S Araki S, see Kakigi R Arasaki K, Iijima M, Nakanishi T: Normal maximal and minimal motor nerve conduction velocities in adults determined by a collision method, 647

Arenas J, Ricoy JR, Encinas AR, Pola P, D'Iddio S, Zeviani M, DiDonato S, Corsi M: Carnitine in muscle, serum, and urine of nonprofessional athletes: effects of physical exercise, training, and L-carnitine administration, 598

Arendt-Nielsen L, Gregersen H, Toft E, Bjerring P: Involvement of thin afferents in carpal tunnel syndrome: evaluated quantitatively by argon laser stimulation, 508

Argov Z, see McCully K Arnold TW, see Oh SJ Ashwal S, see Peterson GW Astruc J, see Campbell WW Avila OL, see Abu-Shakra SR

Badger G, see Bromberg MB

Baer GA, Häkkinen W, Talonen PP:

B

Diaphragmatic fatigue produced by constant or modulated electric current, Baker JH, Poindexter CE: Muscle regeneration following segmental necrosis in tenotomized muscle fibers, 348 Balbi P, see Pelosi L Baldwin N, see Motgi GV Bank W, see McCully K Baquis GD, Kelly JJ, Lieberman A, Wolpert SM: Adult metachromatic leukodystrophy and pes cavus foot deformity, 784-L Baran E, see Stagliano N Barchi RL, see Schotland DL Barker CB, see Binder-Macleod SA Barr AE, Kroll M: Biomechanical muscle performance, 88-E Barr W, Claussen G, Fesenmeier J, Thomas TD, Pearlman RL, Oh SI: Respiratory failure as the first

manifestation of the Lambert-Eaton


syndrome, 914-A

Barry DT: AAEM minimonograph #36: basic concepts of electricity and electronics in clinical electromyography, 937 Baruah JK: Neuromuscular transmission defect in peripheral neuropathy, 914-A Bastian RW, see Gupta SR Beckley DJ, see Bloem BR Behnia M, Kelly JJ: Role of electromyography in amyotrophic lateral sclerosis, 1236 Belda ST, see Litchy WJ Benarroch EE, Opfer-Gehrking TL, Low PA: Use of the photoplethysmographic technique to analyze the valsalva maneuver in normal man, 1165 Ben-David E, see Pauzner R Benstead TJ, Heffernan LP, Holness RO, Purdy RA: Non-iatrogenic causes of spinal accessory neuropathy, Berardelli A, see Priori A Beresford HR, see Vishnubhakat SM Berger AR, see Busis NA Beric A, see Triggs WJ Berlit P, Daffertshofer M: Testing of the autonomic nervous system in erectile dysfunction, 909-A Bernardi G, see Anzil AP Bernsen RAJAM, see Oey PL

Bernsen RAJAM, see Oey PL
Bertorini T, Puniani TS: Caution in the
use of tocainide: a reply, 1247-L
Bertorini TE, Palmieri GMA, Griffin J,
Igarashi M, Hinton A, Karas JG:
Effect of dantrolene in Duchenne
muscular dystrophy, 503
Bertorini TE, see Puniani TS
Berthelin F, see Jammes Y
Besser R, see Gutmann L
Besser R, Vogt T, Gutmann L, Wessler
I: High pancuronium sensitivity of
axonal nicotinic-acetylcholine receptors
in humans during organophosphate
intoxication, 1197
Beydoun SR: Misdiagnosis of

cytomegalovirus polyradiculopathy, coexisting with HIV neuropathy,

Bianchi E, see Comi G



Binder-Macleod SA, Barker III CB: Use of a catchlike property of human skeletal muscle to reduce fatigue, 850

Binkhorst RA, see Linssen WHJP Bird SJ, see Chaudhry V

Bird SJ: Clinical and electrophysiologic improvement in the Lambert-Eaton myasthenic syndrome with intravenous immunoglobulin therapy, 913-A

Bird SJ, Kaji R, Mollman JE: Somatosensory evoked potentials: a sensitive indicator of cisplatin neuropathy, 913-A

Bjerring P, see Arendt-Nielsen L Black PO, Rodriquez AA, Agre JC: Timing pattern of co-concentraction of the proximal lower extremity muscles in patients with spastic muscles in patients with spastic paresis, 873-A

Blaivas M, see Simmons Z Blanco JS, see Phillips LH Blatt I, see Pauzner R

Blei M., Kushmerick MJ, Odderson LR, Esselman PC: Evaluation of adenosine triphosphate resynthesis capacity in human skeletal muscle, 916-A

Bless JK, see Rodriquez AA see Torbergsen T

Bloem BR, Beckley DJ, Van Dijk JG, Zwinderman AH, Remler MP, Roos R.A.C.: Correction for the influence of background muscle activity on short and medium-latency stretch reflexes in normal man. 874-A

Blumhardt LD, see Moore AP Bogdahn U, see Gunreben G

Bohlega SA, Cook J, Haider A, Stigsby B, AlKawi Z: Childhood autosomal recessive muscular dystrophy: 918-A Bohr TW, see Peterson GW

Bohr TW, See Peterson GW Bohr TW, Peterson GW: Acute median neuropathy at the wrist: three unusual variants in a single patient, 905-A

Bornemann A, Schmalbruch H: Antidystrophin stains of triadic junctions in regenerating rat muscles, 1177

Bosch EP, Subbiah B, Ross MA: Cholinergic crisis after conventional doses of anticholinesterase medications in chronic renal failure, 1036-L Boylan KB, see Vedanarayanan V

Bradley WG, see Verma A
Brashear A, Kincaid JC: The influence
of the reference electrode on
compound muscle action potential
morphology, 884-A

Brasil-Neto J, see Pascual-Leone A see Valls-Solé I

Breen LA, Gutmann L, Brick JF, Riggs JR: Paradoxical lid elevation with sustained upgaze: a sign of Lambert-Eaton syndrome, 863 Brick JF, see Breen LA

Brin MF, see Lange DJ Brinkmeier H, see Költgen D Bromberg MB, Albers JW: Patterns of sensory conduction abnormalities in

inflammatory polyneuropathies, 892-A Bromberg MB: Comparison of electrodiagnostic criteria for primary demyelination in chronic polyneuropathy, 968

Bromberg MB, Fries TJ, Tandan R, Simmons Z, Badger G, Nau K, Fillyaw M: Relationships between motor unit counts and other electromyographic measures in amyotrophic lateral sclerosis, 876-A

Bromberg MB, see Simmons Z Bromberg MB, Simmons Z, Forshew D, Nau K: Reproducibility of motor unit count estimation by the spike-triggered averaging technique, 876-A

Bronstein AD, see Snowden ML Brown WF, see Cornblath DR see Komori T

Brown WF, Veitch JE: Intraoperative studies of conduction in ulnar neuropathies at the elbow: correspondence between different methods to localize the primary conduction abnormalities, 907-A

Brown WF, Veitch J, Ebers GC, Hudson AJ: Electrophysiologic features of primary lateral sclerosis, 876-A Brown WF, Veitch JE, Feasby TE:

Brown WF, Veitch JE, Feasby TE: Preterminal conduction in the acute 'axonal' form of Gulliain-Barré syndrome, 892-A

Brown WF, Watson BV: Electrophysiologic assessment of acute radial nerve palsies: relative contributions of conduction block and axon losses, 878-A

Brown WF, Watson BV: Quantitation of axon loss and conduction block in peroneal nerve palsies, 237

Bruyninchx FL, see Busis NA Buchman AS, Stebbins GT, Garratt M: Comparing the discomfort caused by monopolar and single fiber electrodes during electromyography, 881-A Buchthal F, see Shefner JM

Buchthal F, see Shefner JM
Burke D, see Crisafulli CM
Busis NA, Wray SH, Bruyninckx FL,
Berger AR, Logigian EL, Levy SR,
Shahani BT: Chronic progressive
external ophthalmoplegia: correlation
of clinical, neurophysiologic and
muscle biopsy findings in 20 patients,

•

Cafferty MS, Lovelace RE, Hays AP, Servidei S, Dimauro S, Rowland LP: Polyglucosan body disease, 102 Caldara R, see Comi G Calne DB, see McManis PG Campbell W: Sparing of the flexor carpi ulnaris in ulnar neuropathy at the elbow: a reply, 678-L Campbell WW, see Motgi GV see Pridgeon RM

Campbell WW, Pridgeon RM, Riaz G, Astruc J, Sahni KS: Variations in anatomy of the ulnar nerve at the cubital tunnel: pitfalls in the diagnosis of ulnar neuropathy at the elbow, 733

Canal N, see Comi G

Carcco RQ, see Pelosi L
Cardenas DD, see Clawson DR
Carmant L, Veilleux MG: Spontaneous
anterior interosseous neuropathy in
the postpartum period, 878-A
Carpenter S, see Danon MJ

see Weller B

Carpenter S, Karpati G: Dystrophin is localized to the plasma membrane of human muscle skeletal fibers by electron-microscopic cytochemical study: a reply, 577-L

study: a reply, 577-L Carry MR, see England JD Carton H, see Vanhooren G Caruso G, see Pelosi L Carvalho M, see Sales-Luís ML

Cavasin R, see Galea V Chad DA: Hereditary motor and sensory neuropathy: a reply, 86-L

Chalk C, see Squier M Chan J, see Veilleux MG Chan RC, Hsu TC: Quantit

Chan RC, Hsu TC: Quantitative comparison of motor unit potential parameters between monopolar and concentric needles, 1028

Chan RC, see Pan SH Chance B, see McCully K

Chang C-W, Lien I-N: Comparison of sensory nerve conduction in the palmar cutaneous branch and first digital branch and first digital branch of the median nerve: a new diagnostic method for carpal tunnel syndrome, 1173

Chang C-W, Lien I-N: Estimate of motor conduction in human spinal cord: slowed conduction in spinal cord injury, 990

Chaudhry V, see Abu-Shakra SR Chaudhry V, Cornblath DR: Wallerian degeneration in human nerves, 878.A

Chaudhry V, Crawford TO, DeRossett SE: Thermal sensitivity of

demyelinating neuropathy, 908-A Chaudhry V, Watson DF, Bird SJ, Cornblath DR: Stimulated single-fiber electromyography in Lambert-Eaton myasthenic syndrome, 1227

Cherington C, see Cherington M Cherington M, Cherington C: Thoracic outlet syndrome: reimbursement patterns, 897-A

Chi JG, see Sohn YH
Cho DS, Cho MJ: Carpal tunnel
syndrome: significance of the
amplitude reduction of the median
motor nerve evoked compound action
potential, 903-A

Cho MJ, see Cho DS Christiansen J: Comparison of thermography and electromyography, 786.1

Citak KA, see Simpson DM see Sivak M

Clague JE, Edwards RHT: Caution in the use of tocainide, 1247-L

Clark M, see Shields RW Claussen G, see Barr W

Clawson DR, Cardenas DD: Dorsal nerve of the penis nerve conduction velocity: a new technique, 845 Cohen LG, see Pascual-Leone A see Valls-Solé I

Collett P, see Jammes Y Collins KM, Peterson KD: Suprascapular neuropathy after weight lifting, 898-A

Comi G, Galardi G, Amadio S, Bianchi E, Secchi A, Martinenghi S, Caldara R. Pozza G, Canal N: Neurophysiologic study of the effect of combined kidney and pancreas transplantation on diabetic neuropathy: a two-year follow-up evaluation, 911-A

Contreras-Urby D, see Kalantri A Conway R, see Kumar P Cook J, see Bohlega SA Cooke TH, see Kraft GH

Cooper B, see McCully K Cornacchia L, see Swenson MR Cornacchia L., Swenson MR, Gulevich SJ: Tarsal tunnel syndrome: anatomy and electrodiagnosis, 879-A

Cornblath DR, see Abu-Shakra SR see Chaudhry V see Vedanarayanan V

Cornblath DR, Sumner AJ: Conduction block in neuropathies with necrotizing vasculitis, 185-L

Cornblath DR, Sumner AJ, Daube J, Gilliat RW, Brown WF, Parry GJ, Albers JW, Miller RG, Petajan J: Conduction block in clinical practice,

Corsi M, see Arenas J Costigan D, Tindall S, Rossi J, Lexow S: Tibial nerve entrapment by the tendinous arch of origin of the soleus muscle: diagnostic difficulties, 880-A

Cracco IB, see Pelosi L Crawford TO, see Chaudhry V Crisafulli CM, Burke D, Saadeh PB, Donnenfeld H, Wolf E: Neurofibromatosis mimicking motor

neuron disease, 886-A Crisafulli CM, Saadeh PB, Wolf E: Phrenic nerve conduction studies and needle electromyography of the diaphragm in acute inflammatory demyelinating neuropathy, 893-A

Cros DP, see Siao P see Triggs WJ Crout BO, see Rivner H see Rivner MH Cruccu G, see Priori A Culver Jr JE, see Mitsumoto H Czerniecki [M, see Gitter A]

D

Daffertshofer M, see Berlit P Dang N, see Luciano CA see Stone DA see Valls-Solé J Danon MJ: Review of Post-Polio Syndrome, 788-B Danon MJ, Carpenter S: Myopathy with thick filament (myosin) loss following prolonged paralysis with vecuronium during steroid treatment, 1131 Dansereau G, see Huard J Dantes M, McComas A: The extent and

time course of motoneuron

involvement in amyotrophic lateral sclerosis, 416

Daube J, see Cornblath DR Daube JR, see Lachance DH see Normand MM

Daube IR: AAEM minimonograph #11: needle examination in clinical electromyography, 685

Daube JR: Uni-and bipolar surface recordings of human nerve responses, 1140-L

D'Auria R, see Fesenmeier J David WS, Kupsky WJ, Jones Jr HR: Electromyographic and histologic evaluation of the arthrogrypotic infant, 897-A

Day BJ, see Siao P De Bruin H. see Galea V DeGroot D, see Gitter AJ Dehaene I, see Vanhooren G Deliac MM, see Lagueny A Deliac P, see Lagueny A DeLisa JA, see Dumitru D Dellon AL, see Mackinnon SE Del Toro DR, see Park TA see Sable AW Del Toro DR, Park TA, Sable AW, Wertsch II: Development of a model

of the premotor potential, 899-A Denys EH: AAEM minimonograph #14: the influence of temperature in clinical

neurophysiology, 795 DeRossett SE, see Chaudhry V Devroede G, see Lebel ML D'Iddio S, see Arenas I DiDonato S, see Arenas J Dierschke B, see Dumitru D Dietzen C, see Fesenmeier Dimauro S, see Cafferty MS Distad BI, see Maselli RA Donnenfeld H, see Crisafulli CM Donofrio PD, Albers JW: Dispersion or block? a reply, 1034-L Donofrio PD, see Thomas TD DosRemedios E, see Gilchrist JM DosRemedios E, Gilchrist JM: Reliability

of lower-extremity sensory nerve techniques, 899-A Dotson RM, Sulaiman AR, Kinder D: Colchicine myopathy-neuropathy: inflammation and gammopathy, 919-A

Dowling J, see Leedham JS see Portfors C Doyu M, see Yasuda T Dufresne MJ, see Greaves DS Dumitru D, DeLisa JA: AAEM minimonograph #10: volume conduction, 605

Dumitru D, Kalantri A, Dierschke B: Somatosensory evoked potentials of the medial and lateral plantar and calcaneal nerves, 665

Dumitru D, King JC: Far field potentials in muscle, 981

Dunne JW, McManis PG: Do we need a more sensitive test for carpal tunnel syndrome, 904-A

Dunne JW, Reutens DC, Newman M: Phrenic nerve injury in open heart surgery, 883-A

Dunne JW, Stewart-Wynne EG: Neurologic improvement of

adrenomyeloneuropathy after steroid replacement therapy, 887-A Durandeau A, see Lagueny A Dyck PJ, see Kirk VH see Litchy WI

Ebers GC, see Brown WF Edwards RHT, see Clague JE Eerbeek O. Kernell D: External recording of twitch time course in cat ankle muscles, 422 Eisen AA, Pant B, Kim S: Amvotrophic lateral sclerosis a disease of the corticomotoneuron?: evidence derived from cortical stimulation, 875-A Eisen AA, see Pant B see Travlos A Ekedahl R, see Hallin RG Emori T, see Leis AA Encinas AR, see Arenas J Endo C, see Kakigi R England JD, Regensteiner JG, Ringel SP, Carry MR, Hiatt WR: Muscle denervation in symptomatic peripheral arterial disease, 891-A England ID, see London SF Enoka RM, see Robinson GA Eržen I, see Pernuš F Esselman PC, see Brei ML Esselman PC, Tomski MA: Isolated deep peroneal nerve injury as a complication of arthroscopic surgery of the knee, 880-A Estes ML, see Mitsumoto H

Fackrell HB, see Greaves DS Fahn S, see Lange DJ Fankhauser DO, see Andary MT Farfel Z, see Pauzner R Farraye J, see Gerr F Fawcett S, see Galea V Feasby TE, see Brown WF Feingold M, see Redmond JMT Feldman EL, see Simmons Z Felice KJ, Jones Jr HR: Ulnar mononeuropathy in children: a clinical and electromyographic study, 879-A Fenton J, Garner S, McComas AJ Abnormal M-wave responses during exercise in myotonic muscular dystrophy: a Na*-K* pump defect?,

Fesenmeier J, see Barr W Fesenmeier J, Dietzen C, D'Auria R, Oh SJ: Electrophysiologic findings in benign congenital myopathies, 918-A Fieles W, see Schotland DL Fillyaw M, see Bromberg MB Fischbeck KH, see McGuire SA Fisher MA: Inhibition of motoneuron discharge by peripheral nerve stimulation: an F response analysis,

Flood KM, Guilliani M: Incidence of finding fibrillation potentials in the opponens pollicis muscle in cases of

carpal tunnel syndrome diagnosed by nerve conduction studies, 904-A Ford CN, see Rodriquez AA Forshew D, see Bromberg MB Frank O, see Hallin RG Franke C, laizzo PA, Hatt H, Spittelmeister W, Ricker K, Lehmann-Horn F: Altered Na+ channel activity and reduced CIconductance cause hyperexcitability in recessive generalized myotonia (Becker), 762 Franke CL, see Vredeveld JW Franssen H, see Oey PL Fraser JL, Olney RK: The relative diagnostic sensitivity of different F-wave parameters in various neuropathies, 912-A Freedman W, see Stagliano N Freimer M, see Abu-Shakra SR Fries TJ, see Bromberg MB Fuglsang-Frederiksen A, Sjø O, Winkel H: Quantitative electromyography as a guidance for botulinum toxin treatment of torticollis patients, 895-A Fuhr P, see Matsumoto JY Fujimoto WY, see Robinson LR Fujino H, Kobayashi T, Goto I, Onitsuka H: Magnetic resonance imaging of the muscles in patients with polymyositis and dermatomyositis, 716

Galardi G. see Comi G

Galea V, De Bruin H, Cavasin R, McComas AJ: The numbers and relative sizes of motor units estimated by computer, 1123 Galea V, McComas AJ: Tetanic stimulation of the human soleus, Galea V, Quartly C, Fawcett S, Groves J, and McComas AJ: Automated motor unit estimation in a man with cramps and fasciculations, 917-A Galvão M, see Sales-Luís ML Gao L, see Kennedy JM Garcia CA, see Parry GJG Garner S, see Fenton J Garratt M, see Buchman AS Genkins G, see Sivak M George T, see Vedanarayanan V Gerr FE, see Letz R Gerr F, Letz R, Hershman D, Farraye J. Simpson D: Comparison of vibrotactile thresholds with physical examination and electrophysiological assessment, Giampolo AJ, Giuliana MJ: The spectrum of isolated diffuse abnormal insertional activity, 919-A

Giger U, see McCully K

Gilchrist JM, Ambler M, Agatiello P: Steroid-responsive tubular aggregate myopathy, 233

Gilchrist JM, see DosRemedios E Gilchrist JM, DosRemedios E, Grossman J, Kroessler K: Preoperative prediction of outcome in carpal tunnel syndrome, Gilevich SI, see Cornacchia L Gilliat RW, see Cornblath DR see Kennett RP see Luciano CA see Stone DA Giniaar IB, see Wessels A

Gitter AJ, Czerniecki JM, DeGroot D: Muscle force and electromyographic activity relationship using fractal dimension analysis, 884-A

Giuliani MJ, Peterson AR: Palmar versus digit-four testing in carpal tunnel syndrome, 901-A

Giulliani MJ, see Giampolo AJ see Peterson AR Given W, see Vishnubhakat SM Glass ID, see Abu-Shakra SR Goldstein BS, see Little JW Gominak SC, see Triggs WJ Gordon C, see Motgi GV

Gordon TR, Kocsis JD, Waxman SG: TEA-sensitive potassium channels and inward rectification in regenerated rat sciatic nerve, 640

Goto I, see Fujino H Gottlieb AJ, see Krendel DA Goyne C, see Vazquez G Grandmaison F, see Lebel ML Gray AB, see Martin JE

Greaves DS, Dufresne MJ, Fackrell HB, Warner AH: Age-related changes and tissue distribution of parvalbumin in normal and dystrophic mice of strain 129 REJ, 543

Greene PE, see Lange DJ Gregersen H, see Arendt-Nielsen L Griffin I, see Bertorini TE Griffin JW, see Vedanarayanan V Grossman J, see Gilchrist JM Gross PT: Frontalis muscle single fiber

electromyography in the evaluation of suspected myasthenia gravis, 915-A Grover W, see Triggs WJ Groves J, see Galea V Guilliani M, see Flood KM Gulevich SJ, see Cornacchia L Gunreben G, Bogdahn U: Real-time

sonography of acute and chronic muscle denervation, 654 Gupta SR, Bastian RW: Use of laryngeal

electromyography in prediction of recovery after vocal cord paralysis, 883-A

Gutmann L, see Besser R see Breen LA see Hopf HC

Gutmann L: AAEM minimonograph #37: facial and limb myokymia, 1043 Gutmann L, Besser R: Electrophysiology of acetylcholinesterase inhibition in myasthenia gravis, 86-L

Haas LF, see Winkler T Haider A, see Bohlega SA Haig AJ, Moffroid M, Henry S, Haugh L, Pope M: A technique for needle localization in paraspinal muscles with cadaveric confirmation, 521 Haig AJ, see Sable AW

Haldeman S, see Zhu Y Hallett M, see Matsumoto JY see Pascual-Leone A see Topka HR see Valls-Solé Hallin RG, Ekedahl R, Frank O: Segregation by modality of myelinated and unmyelinated fibers in human sensory nerve fascicles, 157 Harati Y, see Kolimas RJ Harmon RL, see Rodriquez AA Harper CM: AAEM case report #21: hemifacial spasm: preoperative diagnosis and intraoperative management, 213 Harper PS, see Smith RA Harrell L, see Oh SJ Harris JW, see Shields RW Haselkorn JK, see Snowden ML Hashizume Y, see Yasuda T Hatt H, see Franke C Hattori M, see Usuki F Haugh L, see Haig A Hawley RJ, see Sirdofsky MD Hays AP, see Cafferty MS Hedaya EV, see Krendel DA Heffernan LP, see Benstead TJ Henderson M, Robinson LR, James A: Dorsal ulnar cutaneous handcuff neuropathy, 905-A Henry S, see Haig AJ Herkes GK, see McManis PG Hershman D, see Gerr F Hiatt WR, see England JD Higuchi I, see Ijichi T see Usuki F Hilton-Jones D, see Squier M Hinton A, see Bertorini TE Hiyamuta E, see Orimo S Ho LT, see Zochodne DW

Häkkinen W. see Baer GA

Hoffman EP, see Kaido M Hofmann WW: Comparison of stimulation and insulin effects on denervated mouse soleus muscles,

Hoh JFY, Hughes S: Basal lamina and superfast myosin expression in regenerating cat jaw muscle, 398 Hoh JFY, Hughes S: Expression of

superfast myosin in aneural regenerates of cat jaw muscle, 316 Holness RO, see Benstead TJ

Holy X, Mounier Y: Effects of short spaceflights on mechanical characteristics of rat muscles, 70

Hopf HC, Thömke F, Gutmann L: Midbrain vs. pontine medial longitudinal fasciculus lesions: the utilization of masseter and blink reflexes, 326

Horowitz SH, Krarup C: The influence of stimulus utilization time on normal sural nerve conduction, 900-A

Hsu TC, see Chan RC see Pan SH

Huang SQ: Quantitative analysis of onset motor latency at various sensitivities with automatic pick up, 884-A

Huang SQ, see Wu PBJ Huard J, Larbrecque C, Dansereau G, Robitaille L, Tremblay JP: Dystrophin expression in myotubes formed by the fusion of normal and dystrophic myoblasts, 178 Hudson AJ, see Brown WF Hudses S, see Hob IFY

Hudson AJ, see Brown WF Hughes S, see Hoh JFY Hulce VD, see Andary MT

1

Iaizzo PA, see Franke C Igarashi M, see Bertorini TE lijima M, see Arasaki K ljichi T, Izumo S, Takahashi K, Tashiro A, Higuchi I, Osame M: Lymphocyte subsets in sural nerves from patients with vasculitic neuropathy, 574-L Ikeda A, see Kakigi R Ikeda T, see Kakigi R Ikegawa S, see Kakigi R Iljima M, Arasaki K, Iwamoto H, Nakanishi T: Maximal and minimal motor nerve conduction velocities in patients with motor neuron diseases: correlation with age of onset and duration of illness, 1110 Imajoh-Ohmi S, see Nakamura M Ingall T1, McLeod JG: Autonomic function in hereditary motor and sensory neuropathy (Charcot-Marie-Tooth disease), 1080 Inghilleri M, see Priori A Ito T, see Yasuda T Iwamoto H, see Iljima M Iver VG, see Al-Sulaiman AS see Tolge C Izumo S, see Ijichi T

18

Jablecki CK: AAEM case report #3: myasthenia gravis, 391 Jabre JF: Concentric macro electromyography, 820 Jain S, see Moonis M lames A, see Henderson M Jammes Y, Collett P, Lenoir P, Lama A, Berthelin F, Roussos C: Diaphragmatic fatigue produced by constant or modulated electric currents, 27 Jammes Y: Diaphragmatic fatigue produced by constant or modulated electric current: a reply, 1035-L Jockusch H, see Költgen D Jones HR, see David WS see Felice KJ Joosten EMG, see Linssen WHJP lovnt RL: Chemical sterilization of emg needles, 885-A

K

Kääriänen H, see Udd B
Kaido M, Arahata K, Hoffman EP,
Nonaka I, Sugita H: Muscle histology
in Becker muscular dystrophy, 1067
Kaji R, see Bird SJ
see Kimura J
Kaji R, Sumner AJ: Vector short-latency
somatosensory evoked potentials:
reply, 783-L

Kakigi R, Endo C, Neshige R, Kuroda Y, Shibasaki H: Estimation of conduction velocity of Að fibers in humans, 1193

Kakigi R, Shibasaki H, Tanaka K, Ikeda T, Oda K-I, Endo C, Ikeda A, Neshige R, Kuroda Y, Miyata K, Yi S, Ikegawa S, Araki S: CO₂ laser-induced pain-related somatosensory evoked potentials in peripheral neuropathies: correlation between electrophysiological and histopathological findings, 441 Kakulas BA, see Penegyres PK Kalantri A. Contreras-Urby D:

Kalantri A, Contreras-Urby D: Comparison of ulnar nerve motor latencies and conduction velocities across flexed and extended elbows, 882-A

Kalantri A, see Dumitru D Kalyan-Raman K, see Kumar J Kang UJ, see Lange DJ Karas JG, see Bertorini TE Karnes JL, see Kirk VH see Litchy WJ Karpati G, see Carpenter S see Weller B

Kato K, see Yasuda T Kawai H, Sebe T, Nishino H, Nishida Y, Saito S: Light and electron microscopic studies on localization of myoglobin in skeletal muscle cells in neuromuscular diseases, 342

Kawashima S, see Nakamura M Keidel M, see Zwarts MJ Kelly C, see Wu PBJ Kelly JJ, see Behnia M see Baquis GD

Kennedy JM, Azk R, Gao L: Myosin expression in hypertrophied fast twitch and slow tonic muscles of normal and dystrophic chickens, 166

Kennedy WR, Navarro X, Stewart NJ: Quantitation of the alternate movement rate in normal and diabetic subjects, 1231

Kennett RP, Gilliatt RW: Nerve conduction studies in experimental non-freezing cold injury: I. local nerve cooling, 553

Kennett RP, Gilliatt RW: Nerve conduction studies in experimental non-freezing cold injury: 11. generalized nerve cooling by limb immersion, 960

Kernell D, see Eerbeek O Kihara M, see Low PA Kim DE, Kuruoglu HR, Oh SJ: What is the best diagnostic index of conduction block and temporal dispersion?,

Kim DE, see Oh SJ Kim S, see Eisen AA Kim Su, see Krieger C Kimm J, see Kumar J Kimura J, Kaji R: Comment from the

editorial office, 867 Kincaid JC, see Brashear A Kinder D, see Dotson RM King JC, see Dumitru D Kirchmayer DM, Lee MY, Rothman MI, Roth EJ, MacLean IC: Paraspinal muscle electromyography: determining guidelines for needle placement using retrospective analysis of magnetic resonance imaging scans, 888-A Kirk VH, Litchy WJ, Karnes JL, Dyck

Kirk VH, Litchy WJ, Karnes JL, Dyck PJ: Measurement of blink reflexes not useful in detection or characterization of diabetic polyneuropathy, 910-A Kleyweg RP, see Oomes PG

see Van Der Meché FGA, Kleyweg RP, Van Der Meché FGA, Schmitz PIM: Interobserver agreement in the assessment of muscle strength and functional abilities in Guillain-Barré syndrome, 1103 Kobayashi T, see Fujino H

Kocsis JD, see Gordon TR Kolimas RJ, Harati Y: Late-onset muscle glycogenosis presenting as motor neuron disease, 886-A

Költgen D, Brinkmeier H, Jockusch H: Myotonia and neuromuscular transmission in the mouse, 775 Komori T, Watson BV, Brown WF: Characteristics of single 'F' motor units

at different stimulus intensities, 875-A Kraft GH, Cooke TH: A new system of needle control in the era of human immunodeficiency virus infection,

Kraft GH, see Snowden ML Krarup C, see Horowitz SH see Shefner JM

Krendall DA, Hedaya EV, Gottlieb AJ: Calf enlargement, S1 radiculopathy and focal myositis, 889-A Kresch E, see Stagliano N

Krieger C, Kim SU: Neonatal mammalian spinal cord neurons and motoneurons in monolayer culture, 14 Kroessler K, see Gilchrist IM

Kroll M, see Barr AE
Kržan M, Trontelj JV: Study of
neuromuscular transmission with
axonal stimulation single fiber
electromyography in patients treated

with botulinum toxin, 915-A Kumar P, Conway R, Zafar M: Prognosis of "nonstructural radiculopathy", 888-A

Kumar J, Kimm J, Kalyan-Raman K: The unusual clustering of patients with muscular pain fasciculation syndrome, 911-A Kuncl RW, see Vedanarayanan V

Kuncl RW, see Vedanarayanan V
Kupsky WJ, see David WS
Kuroda Y, see Kakigi R
Kuruoglu HR, see Kim DE
Kushmerick MJ, see Blei ML
Kuwabara T, Yuasa T, Ohno T,
Yamamuro M, Miyatake T: Study on
the erythrocytes from myotonic
dystrophy with multi-nuclear NMR, 57

L

Laak HJT, see Linssen WHJP Label LS: Carpal tunnel syndrome resulting from steering wheel impact, 904-A Labrecque C, see Huard [Lachance DH, Daube JR: Acute peripheral arterial occlusion: electrophysiologic study of 32 cases, 633

Lagueny A, Deliac MM, Deliac P, Durandeau A: Diagnostic and prognostic value of electrophysiologic tests in meralgia paresthetica, 51

Lama A, see Jammes Y
Lamb NL, Patten BM: Clinical
correlations of anti-GM1 antibodies in
amyotrophic lateral sclerosis and
neuropathies, 1021

Lammens M, see Vanhooren G Lange DJ, see Uncini A Laterre CE, see Pierre PA

Lawrence JA: Pseudoxanthoma elasticum and angioid streaks of the retina in a patient with "slow channel syndrome", 1036-L

Lebel ML, Grandmaison F, Thibault L, Devroede G: Dynamic electromyographic assessment of pelvic floor in 161 patients: Constipated, nonconstipated, and control subjects, 909-A

Lee MY, see Kirchmayer DM Leedham JS, Dowling J: Torque-angle, force-length and electromyographicangle relationships of the human in-vivo biceps, 893-A

Lehmann-Horn F, see Franke C Leis AA, Ross MA, Emori T, Matsue Y, Saito T: The silent period produced by electrical stimulation of mixed peripheral nerves, 1202

Lenoir P, see Jammes Y Leonard JA, Schultz JS: Radiculopathy: a quality assurance review, 890-A Letz R, see Gerr F

Letz R, Gerr FE, Simpson DM: Toward more rational nerve conduction interpretations: the effect of height, 479-1.

Levin KH, Wilbourn AJ: Diabetic radiculopathy without peripheral neuropathy, 889-A

Levy SR, see Busis NA

Lexell J, Taylor C: Fiber density: a fast and accurate way to estimate human muscle fiber areas, 476-L

Lexell J. "Smoothed histograms": a visual aid for the analysis of distributions of muscle fiber areas, 826 Lexow S, see Costigan D

Lieberman A, see Baquis GD Lien I-N, see Chang C-W

Linssen WHJP, Stegeman DF, Joosten EMG, Binkhorst RA, Merks MJH, Laak HJT, Notermans SLH: Fatigue in type I fiber predominance: a muscle force and surface EMG study on the relative role of type I and type II muscle fibers, 829

Litchy WJ, Belda ST, Karnes JL, Dyck PJ: The high frequency of axon reflexes among diabetics in the Rochester diabetic neuropathy study cohort, 890-A

Litchy WJ, see Kirk VH

Little JW, Goldstein BS, Robinson LR: Prolonged cortical inhibition after electromagnetic stimulation of the motor cortex, 894-A Logigian EL, see Busis NA see Preston DC see Shefner JM see Wolinsky JS

Lomas JN, see Ackmann JJ Lomas JN, Park TA, Sable AW, Wertsch JJ: Skin-graft donor site

mononeuropathy, 906-A London SF, England JD: Dynamic F waves in neurogenic claudication, 457 Lovelace RE, see Cafferty MS

see Lange DJ Low PA, see Benarroch EE see Schmelzer JD

Low PA, Opfer-Gehrking TL, Torres N, Zollman P, Kihara M: Pharamacology of the eccrine sweat gland, 912-A

Luciano CA, Gilliatt RW, Dang N: Turns analysis in advanced myopathy, 916-A Ludwin SK, see Semmler RT Lupski JR, see Parry GJG

M

Macfarlane IA, see Moore AP
Mackinnon SE, Dellon AL, O'Brien JP:
Changes in nerve fibre numbers distal
to a nerve repair in the rat sciatic
nerve model, 1116
MacLean IC, see Kirchmayer DM
Maheshwari MC, see Moonis M

Malamut R, see Parry GJG Malone MJ, see Scott TF Manfredi M, see Priori A Manz H, see Sirdofsky MD

Markus-Silvis L, see Oomes PG Martin JE, Mather K, Swash M, Gray AB: Expression of heat shock protein

epitopes in tubular aggregates, 219 Martinenghi S, see Comi G Martinez AC: Diagnostic yield of different electrophysiological methods

in carpal tunnel syndrome, 183-L Martin-Llonch N, see Ortiz-Arduan A Maruyama I, see Usuki F

Maselli RA: In-vitro study of the neuromuscular transmission failure induced by anticholinesterases, 914-A Maselli RA. Mass DP. Distad BI.

Richman DP: Anconeus muscle: a human muscle preparation suitable for in-vitro microelectrodes studies, 1189 Maselli RA, Soliven BC: Analysis of the

organophosphate-induced
electromyographic response to
repetitive nerve stimulation:
paradoxical response to edrophonium
and p-tubocurarine, 1182

Mass DP, see Maselli RA Massa R, see Anzil AP see Weller B

Mather K, see Martin JE Matsue Y, see Leis AA Matsumoto A, see Naganum

Matsumoto A, see Naganuma M Matsumoto JV, Fuhr P, Zeffiro T, Nigro MA, Hallett M: Withdrawal reflexes to nose tapping in hyperekplexia and normal subjects, 894-A

McComas A, see Dantes M

McComas AJ: Invited review: motor unit estimation: methods, results, and present status, 585

McComas AJ, see Fenton J see Galea V

McConnell J, see Tolge C
McCoy WR, Perry SL: Sparing of the
flexor carpi ulnaris in ulnar
neuropathy at the elbow, 677-L

McCully K, Giger U, Argov Z, Valentine B, Cooper B, Chance B, Bank W: Canine x-linked muscular dystrophy studied with in vivo phosphorus magnetic resonance spectroscopy, 1091

McGillivray C, Sharma S, Rush P: Electrodiagnostic study of the long thoracic nerve, 877-A

McGuire SA, Fischbeck KH: Autosomal recessive Duchenne-like muscular dystrophy: molecular and histochemical results, 1209 McHugh MA, see Peterson AR McKenna MJ, see Redmond JMT McLeod JG, see Ingall TJ

McManis PG, see Dunne JW McManis PG, Sharbough FW: Characteristics of "shaky-legs" syndrome, 873-A

McManis PG, Wszolek ZK, Herkes GK, Pfeiffer RF, Calne DB, Rodnitzky RL: Tremor studies in patients with rapidly progressive autosomal dominant Parkinsonism and dementia,

Melvin JL, see Sable AW Mendelson S, see Sivak M Merks MJH, see Linssen WHJP Metral S: Conduction block in neuropathies with necrotizing vasculitis: a reply, 185-L

Meulstee J, see Oomes PG see Van Der Meché FGA Mihelin M, Trontelj JV, Stälberg E:

Muscle fiber recovery functions studied with double pulse stimulation, 739

Miike T, see Miyatake M Miller RG: AAEM case report #1: ulnar neuropathy at the elbow, 97 Miller RG, see Cornblath DR Mills KR, see Squier M

Mitchell DA, see Peterson GW Mitsumoto H, Estes ML, Wilbourn AJ, and Culver JE: Localized hypertrophic neuropathy: perineurioma or perineural hyperplasia?, 906-A

Miyata K, see Kakigi R Miyatake M, Miike T, Zhao JE, Yoshioka K, Uchino M, Usuku G: Dystrophin: Lo dization and presumed function,

Miyatake T, see Kuwabara Moffroid M, see Haig AJ Mollman JE, see Bird SJ Moonis M, Jain S, Verma AK, Maheshwari MC: Periodic paralysis: unusual features—the indian experience, 886-A

Moore AP, Macfarlane IA, Blumhardt LD: Polyneuropathy in lithium intoxication, 578-L

Moorman AFM, see Wessels A
Morgan RF, see Phillips LH
Morin JF, see Veilleux MG
Moskowitz CB, see Lange DJ
Motgi GV, Campbell WW, Wirth BA,
Appley A, Gordon C, Baldwin N:
Evaluation of ulnar neuropathy at the
elbow by magnetic resonance imaging,
intraoperative electroneurography and
intraoperative ultrasonography,
906-A
Mouvallem M, see Paurner P

Mouallem M, see Pauzner R Mounier Y, see Holy X

N

Naganuma M, Shima K, Matsumoto A, Tashiro K: Chronic multifocal demyelinating neuropathy associated with central nervous system demyelination, 953

Nager BJ, Parry GJG: Isolated phrenic neuropathy in Waldenström's macroglobulinemia, 883-A

Nakamura M, Imajoh-Ohmi S, Suzuki K, Kawashima S: An endogenous inhibitor of calcium-activated neutral protease in umx 7.1 hamster dystrophy, 701

Nakanishi T, see Arasaki K see Iljima M

Nakano N: Review of Entrapment Neuropathies (Second Edition), 383-B

Nandedkar SD, Sanders DB: Clinical neurophysiology updates, volume 2: computer-aided electromyography and expert systems, 187-B

Nandedkar SD, Sanders DB: Recording characteristics of monopolar EMG electrodes, 108

Nandedkar SD, Sanders DB, Stalberg EV: On the shape of the normal turns—amplitude cloud, 8

Nandedkar SD, Savuto P, Schaefer AJ: Recording characteristics of disposable surface EMG electrodes: an "in house" study, 901-A

Nau K, see Bromberg MB Navarro X, see Kennedy WR Nayak NN, see Shankar K Neshige R, see Kakigi R Newcombe RG, see Smith RA Newman M, see Dunne JW Newsom-Davis J, see Squier M Nickander KK, see Schmelzer JD Nigro M, see Ward R Nigro MA, see Matsumoto JY Niles L, see Yaar I Nishida Y, see Kawai H Nishino H, see Kawai H Nokelainen PT, Alanen-Kurki L, Somer HVK, Pihko H, Peltonen L: Usefulness of chromosome 19 RFLP haplotypes in the diagnosis of myotonic dystrophy, 451

Nonaka I, see Kaido M Normand MM, Daube JR: Preoperative electromyographic/nerve conduction study of facial neuropathy with acoustic neuroma, 877-A Notermans SLH, see Lissen WHIP 0

O'Brien JP, see Mackinnon SE Ochoa JL, see Yarnitsky D Oda K-I, see Kakigi R Odderson IR, see Brei ML Oey PL, Franssen H, Bernsen RAJAM, Wokke JHJ: Multifocal conduction block in a patient with borrelia burgdorferi infection, 375-L

Oh SJ, Arnold TW, Park KH, Kim DE: Electrophysiological improvement following decompression surgery in tarsal tunnel syndrome, 407

Oh SJ, see Barr W see Fesenmeier J see Kim DE see Vazquez G

Oh SJ: Hereditary motor and sensory neuropathy, 85-L

Oh SJ, Kim DE, Kuruouglu HR: Electrophysiologic and clinical correlation in the Lambert-Eaton myasthenic syndrome, 915-A

Oh ŚJ, Slaughter R, Harrell L: Paraneoplastic vasculitic neuropathy: a treatable neuropathy, 152

Ohno T, see Kuwabara Olney RK, see Fraser JL see So YT

Onitsuka H, see Fujino H
Oomes PG, Van Der Meché FGA,
Markus-Silvis L, Meulstee J, Kleyweg
RP: In vivo effects of serea from
Guillain—Barré subgroups: an
electrophysiological and histological
study on rat nerves, 1013

Opfer-Gehrking TL, see Benarroch EE see Low PA

Orimo S, Hiyamuta E, Arahata K, Sugita H: Analysis of inflammatory cells and complement C3 in bupivacaineinduced myonecrosis, 515

Ortiz-Arduan A, Martin-Llonch N: Supermarket neuropathy, 785-L Osame M, see Ijichi T

see Usuki F

P

Palmer JB, Tippett DC, Wolf JS: Synchronous positive and negative myoclonus due to pontine hemorrhage, 124

Palmieri GMA, see Bertorini TE Palmowski A, Reichmann H, Toyka KV: Neurofibromatous neuropathy, 478-L

Pan SH, Chan RC, Hsu TC: The intra-individual variation of motor fiber latency in patients with carpal tunnel syndrome, 903-A

Pant B, see Eisen AA see Travlos A

Pant B, Xiang Y, Eisen AA: Coupled knowledge-based artificial intelligence in the diagnosis of disease affecting the hand, 921-A

Park KH, see Oh SJ Park TA, see Del Toro DR see Lomas JN Park TA, Del Toro DR, Wertsch JJ: The effect of stimulus duration on the premotor potential, 901-A

Park TP, see Sable AW Park TS, see Phillips LH Parker SW, see Shahani BT Parry GJ, see Cornblath DR

Parry GJG, Malamut R, Lupski JR, Patel PI, Garcia CA: Nerve conduction studies in hereditary motor and sensory neuropathy, type 1, 891-A see Teasley JE

Parry GJG, see Nager BJ
Partridge TA: Invited review: myoblast transfer: a possible therapy for inherited myopathies?, 197

Partridge TA, see Wakeford S
Pascual-Leone A, Cohen LG, VallsSolé J,
Brasil-Neto J, Hallett M: Focal
movement and postural adjustment:
not part of the same cortical motor
program, 874-A

Pascuzzi RM: Schwartz-Jampel Syndrome with dominant inheritance: a reply, 1143-L

Patel PI, see Parry GJG
Patten BM, see Lamb NL
Pauzner R, Blatt I, Mouallem M,
Ben-David E, Farfel Z, Sadeh M:
Mitochondrial abnormalities in
oculopharyngeal muscular dystrophy,
947

Pearlman RL, see Barr W
Pelosi L, Caruso G, Cracco RQ, Cracco
JB, Balbi P: Intraoperative recordings
of spinal somatosensory evoked
potentials to tibial nerve and sural
nerve stimulation, 253

Peltonen L, see Nokelainen PT Pendlebury WW, see Verma A Penegyres PK, Kakulas BA: The natural history of minicore-multicore myopathy, 411

Pernus F, Eržen I: Arrangement of fiber types within fascicles of human vastus lateralis muscle, 304

Perry SL, see McCoy WR Persing JA, see Phillips LH Person A, see Solders G

Pestronk A: Invited review: motor neuropathies, motor neuron disorders, and antiglycolipid antibodies, 927 Petajan J, see Cornblath DR

retajan J. See Cornolatin DK petajan JH: AAEM Minimonograph #3: motor unit recruitment, 489 Peterson AR, see Giuliani MJ

Peterson AR, Giuliani MJ, McHugh MA, Shipe CC: Variations in dorsomedial hand innervation: electrodiagnostic implications, 881-A

Peterson GW, see Bohr TW
Peterson GW, Bohr TW, Smith DC,
Mitchell DA: Electrodiagnostic findings
in medial brachial fascial compartment
syndrome: neuropathies following
transaxillary arteriography, 899-A

Peterson GW, Bohr TW, Yamada S, Ashwal S: Obstetrical paralysis: combined nerve root avulsion and brachial plexopathy confirmed by nerve conduction studies in neonatal flail limb, 898-A Peterson KD, see Collins KM
Pfeiffer RF, see McManis PG

Phillips LH, Morgan RF: Tibial-peroneal anomalous innervation demonstrated by intraoperative nerve conduction studies, 880-A

Phillips LH, Park TS: Electrophysiologic mapping of the segmental anatomy of the muscles of the lower extremity, 1918

Phillips LH, Persing JA, Vandenberg SR: Electrophysiological findings in localized hypertrophic mononeuropathy, 235

Phillips LH, Sussman MD, Blanco JS: Direct spinal cord stimulation for intraoperative monitoring during scoliosis surgery, 896-A

Pierre PA, Laterre CE, Van Den Bergh PY: Neuralgic amyotrophy with involvement of cranial nerves IX, X, XI and XII, 88-E

Piessens F, see Vanhooren G Pihko H, see Nokelainen PT Poindextor CE, see Baker JH Pola P, see Arenas J Pope M, see Haig AJ Portfors C, Dowling J: Reliability of the

double-differential technique is assessing electromyographic crosstalk, 894-A

Potts FA, see Shefner JM
Poulose KP, see Venkatesh R
Pozza G, see Comi G
Prasad N, see Zisfein J
Preston DC, Logigian EL:
Guillain – Barre syndrome during
high-dose methylprednisolone therapy,
378-L

Preston DC, Logigian EL: Lumbrical and interossei recording in carpal tunnel syndrome, 903-A

Pridgeon RM, see Campbell WW Pridgeon RM, Campbell WW: Evaluating focal neuropathies: the long and short of it, 881-A

Priori A, Berardelli A, Inghilleri M, Cruccu G, Zaccagnini M, Manfredi M: Electrical and magnetic stimulation of the accessory nerve at the base of the skull, 477-L

Pullman SL, Rubin M: Large amplitude sensory action potentials in myelopathy: an observation, 709 Puniani TS, see Bertorini T

Puniani TS, see Bertorini T Puniani TS, Bertorini TE: Tocainide therapy in muscle cramps and spasms due to neuromuscular disease, 280 Purdy RA, see Benstead TJ

G

Quartly C, see Galea V

R

Redmond JMT, McKenna MJ, Feingold M, Ahmad BK: Quantitative sensory testing versus conventional nerve conduction velocity studies in the evaluation of distal symmetric polyneuropathy in diabetes mellitus, 890-A

Regensteiner JG, see England JD Reichmann H, see Palmowski A Reim JW, see Abu-Shakra SR Remler MP, see Bloem BR Reutens DC, see Dunne JW Rhodes KP, see Rivner H see Rivner MH Riaz G, see Campbell WW Richman DP, see Maselli RA Ricker K, see Franke C Ricoy JR, see Arenas J Riggs JR, see Breen LA Ringel SP, see England JD Ritson ML, see Andary MT Rivner MH, Swift TR, Crout BO, Rhodes KP: Toward more rational nerve conduction interpretations: the effect of height: a reply, 381-L,

Robinson GA, Enoka RM, Stuart DG: Immobilization-induced changes in motor unit force and fatigability in the cat, 563

Robinson LR, see Henderson M see Little JW Robinson LR: Polymyositis, 310 Robinson LR, Stolov WC, Rubner D, Wahl P, Fujimoto WY: Factor analy

Wahl P, Fujimoto WY: Factor analysis: a methodology for data reduction in nerve conduction studies, 910-A Robinson LR, Temkin NR, Fujimoto

WY, Stolov WC: Effect of statistical methodology on normal limits in nerve conduction studies, 1084 Robitaille L, see Huard J Rodnitzky RL, see McManis PG

Rodnitzky RL: Review of Localization in Clinical Neurology (Second Edition), 679-B

Rodnitzky RL: Review of Neurology in Clinical Practice, 481-B

Rodriquez AA, Agre JC: Correlation of motor units with strength and spectral characteristics in polio survivors and controls, 429

Rodriquez AA, see Black PO see Wyles JM

Rodriquez AA, Ford CN, Bless DM, Harmon RL: Electromyographic assessment in spastic dysphonia prior to vocalis injection with botulinum toxin, 896-A

Ronnett GV, see Abu-Shakra SR Roongta SM, see Triggs WJ Roos RAC, see Bloem BR Ropper AH, see Triggs WJ Ross MA, see Bosch EP see Leis AA

see Leis AA
Rossi J, see Costigan D
Roth EJ, see Kirchmayer DM
Rothman MI, see Kirchmayer DM
Roussos C, see Jammes Y
Rowland LP, see Cafferty MS
Rubin M, see Lange DJ
see Pullman SL

Rubner D, see Robinson LR Ruff RL: Calcium-tension relationships of muscle fibers from patients with periodic paralysis, 838 Ruff RL, Whittlesey D: Ca-, Sr-tension relationships and contraction velocities of human muscle fibers, 1219 Rush P, see McGillivray C Russell JA: Hypophosphatemia and acute areflexic paralysis, 920-A Russell K, see Wu PBJ

S

Saadeh PB, see Crisafulli CM
Sable AW, see Del Toro DR
see Lomas JN
Sable AW, Haig AJ, Alba HM, Zhu H,
Wertsch JJ: Effect of wire electrode
surface area on power spectrum
during fatigue, 885-A

Sable AW, Wertsch JJ, Park TP, Melvin JL, DelToro DR, Zhu H: Ulnar nerve and median nerve contributions to the thenar compound muscle action potential, 881-A

Sa'deh M, see Pauzner R
Sahni KS, see Campbell WW
Saito S, see Kawai H
Saito T, see Leis AA
Sales-Luís ML, Galvão M, Carvalho M,
Sousa G, Alves MM, Serrão R:
Treatment of familial amyloidotic
polyneuropathy (Portuguese type) by
plasma exchange, 377-L
Salpeter MM, see Wetzel DM

Sancesario G, see Anzil AP Sanders DB, see Nandedkar SD see Simpson DM Satya-Murti SX, see Venkatesh R Savuto P, see Nandedkar SD Saydam G, see Tanridag T Schaefer AL see Nandedkar SD

Schaefer AJ, see Nandedkar SD Schmalbruch H, see Bornemann A Schmelzer JD, Nickander KK, Low PA: The effect of aging on nerve conduction and resistance to ischemic conduction failure in rat peripheral

nerve, 912-A
Schmitz PIM, see Kleyweg RP
Schneider LB, see Wilbourn AJ
Schotland DL, Fieles W, Barchi RL:
Expression of sodium channel
subtypes during development in rat

skeletal muscle, 142 Schriefer TN, see Triggs WJ Schultz JS, see Leonard JA Scott RM, see Wolinsky JS

Scott TF, Virella-Lopes M, Malone MJ: Hypertriglyceridemia in carnitine palmityl transferase deficiency: lipid profile and treatment with medium chain triglycerides, 676-L

Sebe T, see Kawai H Secchi A, see Comi G Seffinger M, see Zhu Y

Semmler RT, Ludwin SK, Anastassiades T, Zochodne DW: Diffuse and fulminant electrophysiologic changes in acute vasculitic polyneuropathy, 912-A

Semmler RT, see Zochodne DW Sen S, see Tanridag T Serrão R, see Sales-Luís ML Servidei S, see Cafferty MS Shahani BT, see Busis NA see Siao P see Triggs WI

Shahani BT, Wierzbicka MM, Parker SW: Abnormal single motor unit behavior in the upper motor neuron syndrome, 64

Shankar K, Nayak NN, Abresch RT: Risk management in electromyography, 900-A

Sharbough FW, see McManis PG Sharma S, see McGillivray C Shefner JM, Buchthal F, Krarup C: Antidromically conducted potentials in human sensory nerve, 900-A

Shefner JM, Buchthal F, Krarup C: Slowly conducting myelinated fibers in peripheral neuropathy, 534

Shefner [M, Potts FA, Logigian EL: Relationship between stimulus strength and the cutaneous silent period, 901-A Shefner JM, Tyler H, Krarup C:

Abnormalities in the sensory action potential in patients with amyotrophic lateral sclerosis, 1242

Shibasaki H, see Kakigi R Shields RW, Harris JW, Clark M: Mononeuropathy in sickle cell anemia: anatomical and pathophysiological basis for its rarity, 370 Shields Jr RW, see Tran TA

Shima K, see Naganuma M Shipe CC, see Peterson AR Siao P. Cros DP. Day BJ. Shahani BT:

'Effort' musculocutaneous neuropathy,

Sibert JR, see Smith RA Siegel IM: A new instrument for obtaining tissue biopsy of muscle, 85-L. Simmons Z, Blaivas M, Bromberg MB,

Feldman EL: Polyneuropathy associated with IgA monoclonal gammopathy, 907-A Simmons Z, see Bromberg MB

Simpson D, see Gerr F Simpson DM, Citak KA, Sanders I: Electrophysiologic analysis of idiopathic vocal cord paralysis and other larvngeal disorders, 882-A

Simpson DM, see Letz R Sipila S, Suominen H: Ultrasound imaging of the quadriceps muscle in elderly athletes and untrained men,

Sirdofsky MD, Hawley RJ, Manz H: Progressive motor neuron disease associated with electrical injury, 977 Sivak M, Citak KA, Mendelson S,

Genkins G: Differences in diagnostic yield in myasthenia gravis with single fiber and regional curare testings, 915-A

Sjø O, see Fuglsang-Frederiksen A Slaughter R, see Oh SJ Slonim A, see Vishnubhakat SM Smith DC, see Peterson GW Smith RA, Newcombe RG, Sibert JR, Harper PS: Assessment of locomotor function in young boys with Duchenne muscular dystrophy, 462 Snowden ML, Haselkorn JK, Kraft GH,

Bronstein AD: Dermatomal

somatosensory evoked potentials in lumbosacral spinal stenosis, 890-A So YT, Aminoff MJ, Olney RK: Comparison of thermography and electromyography: a reply,

So YT, Olney RK: AAEM case report #23: acute paralytic poliomyelitis,

787-L

Sobue G, see Yasuda T Soejima Y, see Usuki F Sofferman R, see Verma A Sohn YH, Sunwoo IN, Chi JG: Acute postganglionic dysautonomia with

polyneuropathy, 474-L Solders G, Andersson T, Persson A: Central conduction and autonomic

nervous function in HMSN I, 1074 Soliven BC, see Maselli RA Somer H. see Udd B Somer HVK, see Nokelainen PT Soni A, see Zisfein J Sousa G. see Sales-Luís ML

Spaans F: Schwartz-Jampel Syndrome with dominant inheritance, 1142-L Spiegel N, see Andary MT Spittelmeister W, see Franke C Spitzer AR: Physiologic assessment of

hydrocephalus by a battery of evoked potentials, 896-A Spitzer AR, see Ward R

Squier M, Chalk C, Hilton-Jones D, Mills KR, Newsom-Davis J: Type 2 fiber predominance in Lambert-Eaton myasthenic syndrome, 625 Stagliano N, Baran E, Kresch E,

Freedman W: Correlation analysis of movement-related potentials, 895-A Stagliano N, Baran E, Kresch E,

Freedman W: Quantitative analysis of the bereitschaftspotential, 895-A Stålberg E: Electrodiagnostic assessment and monitoring of motor unit changes

in disease, 293 Stålberg E, see Mihelin M Stalberg EV, see Nandedkar SD see Torbergsen T see Trontelj JV

see Winkler T Stanton DO, see Andary MT Starr A, see Zhu Y Stebbins GT, see Buchman AS

Stegeman DF, see Linssen WHIP Stewart JD: The one-arm dysautonomia syndrome: new evidence that this is a sympathetic postganglionic disorder, 908-A

Stewart NJ, see Kennedy WR Stewart-Wynne EG, see Dunne JW Stickland NC, see Ward SS Stigsby B, see Bohlega SA Stolov WC, see Robinson LR

Stone DA, Westeren-Punnonen SM, Gilliatt RW, Dang N: Proximal F wave velocity using a digital subtraction technique, 902-A

Stuart DG, see Robinson GA Su SH, see Zhu Y Subbiah B, see Bosch EP Sucher BM: Comparison of

thermography and electromyography,

Sugita H, see Kaido M see Orimo S Sugiura I, see Yasuda T Sulaiman AR, see Dotson RM Sumner AJ, see Cornblath DR see Kaii R see Teasley JE Sunwoo IN, see Sohn YH Suominen H, see Sipilä S Sussman MD, see Phillips LH Suzuki K, see Nakamura M Swash M, see Martin JE Swenson MR, see Cornacchia L Swenson MR, Cornacchia L: Dispersion or block? 1033-L. Swift TR, see Rivner MH

Takahashi K, see Ijichi T Talonen PP, see Baer GA Tanaka K, see Kakigi R Tandan R, see Bromberg MB Tanridag T, Sen S, Saydam G: Polyneuropathy in patients with chronic renal failure receiving hemodialysis, 909-A Tashiro A, see Ijichi T Tashiro K, see Naganuma M Taylor C. see Lexell I Teasley JE, Parry GJ, Sumner AJ: Chronic inflammatory demyelinating polyradiculoneuropathy in children treated with intravenous immunoglobulin, 921-A Temkin NR, see Robinson LR Thibault L, see Lebel ML Thömke F, see Hopf JC Thomas TD, see Barr W Thomas TD, Donofrio PD, Angelo J: Peripheral neuropathy in cold agglutinin disease, 331 Tindall S, see Costigan D Tippett DC, see Palmer IB Toft E, see Arendt-Nielsen L Tolge C, Iyer VG, McConnell J: Phrenic nerve injury associated with chiropractic manipulation, 882-A Tomski MA, see Esselman PC Topka HR, Hallett M: Excitability of perioral reflexes in orofacial dyskinesia and spasmodic dysphonia, 875-A Torbergsen T, Stålberg E, Bless JK: Nerve-muscle involvement in a large family with mitochondrial cytopathy: electrophysiological studies, 35 Torres N, see Low PA Torres SS, see Yagnik PM

Toyka KV, see Palmowski A Tran TA, Shields Jr RW, Wilbourn AJ: latrogenic femoral neuropathy following pelvic surgery and vaginal delivery, 907-A

Travlos A, Pant B, Eisen AA: Value of transcranial magnetic stimulation for detecting preclinical cervical spondylotic myelopathy, 889-A Tremblay JP, see Huard J

Triggs WJ, Beric A: Giant somatosensory evoked potentials in a patient with the anterior spinal artery syndrome, 897-A Triggs WI, Gominak SC, Cros DP. Zuniga G, Beric A, Grover W, Shahani BT, Price L, Ropper AH, Roongta SM, Schriefer TN: Inexcitable motor nerves and low amplitude motor responses in the Guillain-Barré syndrome: distal conduction block or severe axonal degeneration?, 892-A

Trontelj JV: Is supernormal muscle propagation velocity due to contraction?, 920-A Trontelj JV, see Kržan M

see Mihelin M

Trontelj JV, Stålberg E: Single motor end-plates in myasthenia gravis and LEMs at different firing rates, 226 Tyler H, see Shefner IM

Uchino M. see Mivatake M Udd B, Kääriänen H, Somer H: Muscular dystrophy with separate clinical phenotypes in a large family, 1050

Uncini A, Lange DJ: Diagnostic yield of different electrophysiological methods in carpal tunnel syndrome: a reply,

184-L

Usuku G, see Miyatake M Usuki F, Higuchi I, Soejima Y, Hattori M, Maruyama I, Osame M: Human acid maltase-deficient myogenic cell transformation with origin-defective SV40: characterization of a cloned line, 245

Valentine B, see McCully K Valls-Solé J, Brasil-Neto J, Pascual-Leone A, Dang N, Cohen LG, Hallett M: Changes in motoneuron excitability before voluntary movement, 876-A VallsSolé J, see Pascual-Leone A Valls-Sole J: Martin-Gruber anastomosis and unusual sensory innervation of the fingers: report of a case, 1099 Van Den Bergh PY, see Pierre PA Van Der Meché FGA, see Kleyweg RP see Oomes PG

Van Der Meché FGA, Meulstee J, Kleyweg RP: Axonal damage in Guillain-Barré syndrome, 997

Van Dijk JG: Toward more rational nerve conduction interpretations: the effect of height, 380-L

Van Dijk, JG, see Bloem BR Van Dijk JG: Vector short-latency somatosensory-evoked potentials,

Van Hees J, see Vanhooren G Van Ommen GJB, see Wessels A Van Zandycke M, see Vanhooren G Vandenberg SR, see Phillips LH Vandenbergh V, see Vanhooren G

Vanhooren G, Dehaene I, Van Zandycke M, Piessens F, Vandenbergh V, Van Hees J, Lammens M, Carton H:

Polyneuropathy in lithium

intoxication: a reply, 578-L Vedanarayanan V, Boylan KB, George T, Griffin JW, Kuncl RW, Cornblath DR: Tetanus-like syndrome associated with Hodgkins lymphoma: a new paraneoplastic syndrome, 913-A

Veilleux MG, see Carmant L Veilleux MG, Chan J, Morin JF: Brachial plexopathy secondary to septic subclavian axillary artery aneurysm, 898-A

Veitch JE, see Brown WF

Venkatesh R, Satya-Murti SX, Wiens II, Poulose KP: Accessory nerve paralysis following carotid endarterectomy,

Verity MA: Infantile Pompe's disease. lipid storage, and partial carnitine deficiency, 435

Verma A, Bradley WG, Adesina AM, Sofferman R, Pendlebury WW: Inclusion body myositis with cricopharyngeus muscle involvement and severe dysphagia, 470 Verma AK, see Moonis M

Virella-Lopes M, see Scott TF Vishnubhakat SM, Beresford HR: Reversible myeloneuropathy of nitrous oxide abuse: serial electrophysiological studies, 22

Vishnubhakat SM, Given W, Beresford HR: Neuromuscular manifestations of eosinophilia myalgia syndrome induced by L-tryptophan: long-term follow-up of 12 patients, 886-A

Vishnubhakat SM, Slonim A, Beresford HR: Adult glycogen storage diseases: electrophysiologic findings in acid maltase deficiency, 887-A

Vogt T, see Besser R Vredeveld JW: Single fiber electromyography in Guillain-Barré syndrome, 893-A

Vredeveld JW, Franke CL: The somatosensory evoked potential in intracerebral hematoma, 894-A

Wadsworth CT: Review of Muscle Strength Testing: Instrumented and Non-Instrumented Systems,

Wahl P. see Robinson LR Wakayama Y: Dystrophin is localized to the plasma membrane of human skeletal muscle fibers by electron-microscopic cytochemical study, 576-L

Wakeford S, Watt DJ, Partridge TA: X-irradiation improves mdx mouse muscle as a model of myofiber loss in DMD, 42

Walker FO: Review of Peripheral Neurology: Case Studies in Electrodiagnosis (Edition 2), 788-B

Ward R, Spitzer AR, Nigro M: Assessment of autonomic nervous system function in myotonic dystrophy, 909-A

Ward SS, Stickland NC: Why are slow and fast muscles differentially affected during prenatal undernutrition?, 259

Warner AH, see Greaves DS Watson BV, see Brown WF see Komori T

Watson DF, see Chaudhry V Watt DJ, see Wakeford S Waxman SG, see Gordon TR

Weller B, Massa R, Karpati G, Carpenter S: Glucocorticoids and immunosuppressants do not change the prevalence of necrosis and regeneration in mdx skeletal muscles,

Wertsch JJ, see Ackmann JJ see Del Toro DR see Lomas IN see Park TA see Sable AW

Wessels A, Ginjaar IB, Moorman AFM, Van Ommen GJB: Different localization of dystrophin in developing and adult human skeletal muscle, 1

Wessler I, see Besser R

Westeren-Punnonen SM, see Stone DA Wetzel DM, Salpeter MM: Fibrillation and accelerated AChR degradation in long-term muscle organ culture, 1003

Whittlesey D, see Ruff RL Wiens II, see Venkatesh R Wierzbicka MM, see Shahani BT Wilbourn AJ, see Levin KH see Mitsumoto H see Tran TA

Wilbourn AJ, Schneider LB: Radial neuropathies at or near the spiral groove: electromyographic features,

Winkel H, see Fuglsang-Frederiksen, A Winkler T, Stålberg E, Haas LF: Uniand bipolar surface recording of human nerve responses, 133

Winkler T, Stålberg E, Haas LF: Uni-and bipoplar surface recordings of human nerve responses: a reply, 1141-L

Wirth BA, see Motgi GV Wokke JHJ, see Oey PL Wolf E, see Crisafulli CM Wolf JS, see Palmer JB

Wolinsky JS, Scott RM, Logigian EL: Dorsal rhizotomy for spasticity in cerebral palsy: a neurophysiologic appraisal, 896-A

Wolpert SM, see Baquis GD Wray SH, see Busis NA Wszolek ZK, see McManis PG

Wu PBJ, Huang SQ, Russell K: The dorsal ramus myotome: anatomic description and clinical implications in electrodiagnosis, 887-A

Wu PBJ, Kelly C, Huang SQ: Sensory nerve temporal dispersion: normative data in an upper extremity conduction study, 902-A

Wyles JM, Rodriquez AA: The predictive value of wrist dimension measurement in median sensory latencies in carpal tunnel syndrome, 902-A

X

Xiang Y, see Pant B

Yaar I, Niles L: Muscle fiber conduction velocity and mean power spectrum frequency in neuromuscular disorders and fatigue, 920-A

Yaar I, Niles L: Power-modulating component analysis or dip analysis with a twist, 920-A

Yagnik PM, Torres SS: Value of superficial radial sensory conduction study in diabetes mellitus, 910-A Yamada S,k see Peterson GW

Yamamuro M, see Kuwabara Yarnitsky D, Ochoa JL: The sign of tinel can be mediated either by myelinated or unmyelinated primary afferents, 379-L

Yasuda T, Sobue G, Ito T, Doyu M, Sugiura I, Hashizume Y, Kato K:

Human peripheral nerve sheath neoplasm: expression of schwann cell-related markers and their relation to malignant transformation, 812

Vazquez G, Oh SJ, Goyne C: Electrophysiologic findings and sural nerve biopsy in vasculitic neuropathy, 908-A

Yi S, see Kakigi R Yosef M, see Andary MT Yoshioka K, see Miyatake M Yuasa T, see Kuwabara

Zaccagnini N, see Priori A Zafar M. see Kumar P Zak R, see Kennedy JM Zeffiro T, see Matsumoto JY Zeviani M, see Arenas [Zhao JE, see Miyatake M Zhu H, see Sable AW Zhu Y, Haldeman S, Su SH, Seffinger M, Starr A: Paraspinal muscle evoked cerebral potentials in muscle spasm,

919-A Zhu Y, Starr A: Magnetic stimulation of muscle evokes cerebral potentials, 721 Zisfein J, Soni A, Prasad N:

Electrodiagnosis of prolonged neuromuscular blockade following muscle-relaxant drug therapy, 916-A Zochodne DW, Ho LT: The influence of

guanethidine sympathectomy on diabetic neuropathy in young rats, 891-A

Zochodne DW, see Semmler RT Zochodne DW, Semmler RT: An acute selective lower limb axonal neuropathy associated with thiamine deficiency serial electrophysiologic studies, 911-A

Zollman P, see Low PA Zuniga G, see Triggs WJ Zwarts MJ, Keidel M: Relationship between electrical and vibratory out put of muscle during voluntary contraction and fatigue, 756 Zwinderman AH, see Bloem BR

